

APPENDIX B: Flora Species found in the Rouge River Watershed

Flora Species found in the Rouge River Watershed		LO	PTn	HAB	SENS	TS	LRANK
SCIENTIFIC NAME	COMMON_NAME						
<i>Rosa blanda</i>	smooth wild rose	3	2	3	3	11	L4
<i>Calamagrostis canadensis</i>	Canada blue joint	2	2	4	3	11	L4
<i>Bromus latiglumis</i>	eared or tall brome	2	2	5	2	11	L4
<i>Carex pellita</i>	woolly sedge	4	3	4	2	13	L4
<i>Cakile edentula</i>	sea-rocket	4	4	5	4	17	L2
<i>Alnus incana</i> ssp. <i>rugosa</i>	speckled or tag alder	3	4	4	5	16	L3
<i>Apocynum androsaemifolium</i>	spreading dogbane	5	3	2	3	13	L4
<i>Teucrium canadense</i> ssp. <i>canadense</i>	wood-sage or germander	4	3	4	4	15	L3
<i>Potentilla paradoxa</i>	bushy cinquefoil	4	3	5	4	16	L3
<i>Cakile edentula</i>	sea-rocket	4	4	5	4	17	L2
<i>Carex aquatilis</i>	water or Goodenough's sedge	4	4	5	4	17	L2
<i>Potentilla paradoxa</i>	bushy cinquefoil	4	3	5	4	16	L3
<i>Cakile edentula</i>	sea-rocket	4	4	5	4	17	L2
<i>Cakile edentula</i>	sea-rocket	4	4	5	4	17	L2
<i>Elymus canadensis</i>	Canada wild rye	4	2	5	3	14	L3
<i>Carex brunnescens</i> ssp. <i>brunnescens</i>	brownish sedge	3	3	4	4	14	L3
<i>Lycopodium dendroïdium</i>	round-branched ground-pine	3	5	5	5	18	L2
<i>Carex communis</i>	fibrous-rooted sedge	2	4	3	3	12	L4
<i>Clintonia borealis</i>	yellow clintonia or bluebead	2	5	4	5	16	L3
<i>Oryzopsis asperifolia</i>	white-fruited or rough-leaved	2	4	4	5	15	L3
<i>Vaccinium myrtilloides</i>	velvet-leaf blueberry	4	4	4	5	17	L2
<i>Pyrola elliptica</i>	shinleaf	2	4	4	4	14	L3
<i>Trientalis borealis</i> ssp. <i>borealis</i>	star-flower	2	4	4	5	15	L3
<i>Pyrola elliptica</i>	shinleaf	2	4	4	4	14	L3
<i>Abies balsamea</i>	balsam fir	2	3	4	5	14	L3
<i>Fraxinus nigra</i>	black ash	2	4	4	3	13	L4
<i>Iris versicolor</i>	blue flag	2	5	4	5	16	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Pyrola asarifolia</i>	pink pyrola	4	4	5	5	18	L2
<i>Trientalis borealis</i> ssp. <i>borealis</i>	star-flower	2	4	4	5	15	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Cypripedium calceolus var. parviflorum	smaller yellow lady's slipper	3	4	5	5	17	L2
Iris versicolor	blue flag	2	5	4	5	16	L3
Equisetum fluviatile	water horsetail	2	4	5	4	15	L3
Iris versicolor	blue flag	2	5	4	5	16	L3
Osmunda regalis var. spectabilis	royal fern	3	5	5	5	18	L2
Ilex verticillata	winterberry	3	4	4	5	16	L3
Maianthemum trifolium	three-leaved false Solomon's	4	4	5	4	17	L2
Larix laricina	tamarack	3	4	4	4	15	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Potentilla palustris	marsh cinquefoil	3	5	4	5	17	L2
Carex utriculata	beaked or bottle-shaped sedge	3	3	5	4	15	L3
Menyanthes trifoliata	bog buckbean	5	5	5	5	20	L1
Platanthera hyperborea	northern or tall green orchis	3	4	5	5	17	L2
Carex utriculata	beaked or bottle-shaped sedge	3	3	5	4	15	L3
Alopecurus aequalis	short-awned foxtail	3	4	5	4	16	L3
Carex comosa	bristly sedge	3	3	5	4	15	L3
Chamaedaphne calyculata	leatherleaf	3	5	5	4	17	L2
Carex lupulina	hop sedge	2	4	4	4	14	L3
Equisetum fluviatile	water horsetail	2	4	5	4	15	L3
Equisetum variegatum ssp. variegatum	variegated scouring-rush	3	2	5	3	13	L4
Iris versicolor	blue flag	2	5	4	5	16	L3
Ilex verticillata	winterberry	3	4	4	5	16	L3
Dryopteris clintoniana	Clinton's wood fern	3	5	5	4	17	L2
Pyrola elliptica	shinleaf	2	4	4	4	14	L3
Carex tuckermanii	Tuckerman's sedge	3	4	4	4	15	L3
Carex retrorsa	retorse sedge	2	3	3	4	12	L4
Lemna trisulca	star or ivy-leaved duckweed	3	4	5	3	15	L3
Clintonia borealis	yellow clintonia or bluebead	2	5	4	5	16	L3
Calla palustris	water arum	3	5	5	5	18	L2
Polystichum acrostichoides	Christmas fern	2	3	5	5	15	L3
Iris versicolor	blue flag	2	5	4	5	16	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Carex tuckermanii	Tuckerman's sedge	3	4	4	4	15	L3
Oryzopsis asperifolia	white-fruited or rough-leaved	2	4	4	5	15	L3
Monotropa uniflora	Indian-pipe	2	4	5	5	16	L3
Oryzopsis asperifolia	white-fruited or rough-leaved	2	4	4	5	15	L3
Vaccinium myrtilloides	velvet-leaf blueberry	4	4	4	5	17	L2
Clintonia borealis	yellow clintonia or bluebead	2	5	4	5	16	L3
Mitchella repens	partridgeberry	2	4	4	5	15	L3
Clintonia borealis	yellow clintonia or bluebead	2	5	4	5	16	L3
Mitchella repens	partridgeberry	2	4	4	5	15	L3
Potentilla palustris	marsh cinquefoil	3	5	4	5	17	L2
Carex retrorsa	retorse sedge	2	3	3	4	12	L4
Carex communis	fibrous-rooted sedge	2	4	3	3	12	L4
Cystopteris tenuis	Mackay's fragile fern	3	4	5	5	17	L2
Myriophyllum verticillatum	whorled water-milfoil	5	5	5	4	19	L1
Ceratophyllum demersum	coontail	3	4	5	4	16	L3
Salix bebbiana	beaked or Bebb's willow	1	4	4	4	13	L4
Eleocharis smallii	Small's or creeping spike-rus	3	4	5	3	15	L3
Zizania palustris var. palustris	northern wild rice	5	5	5	5	20	L1
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Viola rostrata	long-spurred violet	3	4	4	3	14	L3
Streptopus roseus	rose twisted-stalk	2	4	4	5	15	L3
Osmorhiza claytonii	woolly sweet cicely	3	4	4	4	15	L3
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Uvularia grandiflora	large-flowered bellwort	2	4	5	5	16	L3
Dicentra canadensis	squirrel-corn	2	4	5	4	15	L3
Polystichum acrostichoides	Christmas fern	2	3	5	5	15	L3
Equisetum scirpoides	dwarf scouring rush	2	4	5	5	16	L3
Viola rostrata	long-spurred violet	3	4	4	3	14	L3
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Viola rostrata	long-spurred violet	3	4	4	3	14	L3
Viola rostrata	long-spurred violet	3	4	4	3	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Oryzopsis asperifolia	white-fruited or rough-leaved	2	4	4	5	15	L3
Viola rostrata	long-spurred violet	3	4	4	3	14	L3
Adiantum pedatum	northern maidenhair fern	2	3	5	5	15	L3
Dicentra canadensis	squirrel-corn	2	4	5	4	15	L3
Carex platyphylla	broad-leaved sedge	3	4	4	3	14	L3
Dicentra canadensis	squirrel-corn	2	4	5	4	15	L3
Uvularia grandiflora	large-flowered bellwort	2	4	5	5	16	L3
Adiantum pedatum	northern maidenhair fern	2	3	5	5	15	L3
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Osmorhiza claytonii	woolly sweet cicely	3	4	4	4	15	L3
Dicentra canadensis	squirrel-corn	2	4	5	4	15	L3
Polystichum acrostichoides	Christmas fern	2	3	5	5	15	L3
Dicentra canadensis	squirrel-corn	2	4	5	4	15	L3
Polystichum acrostichoides	Christmas fern	2	3	5	5	15	L3
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Carex communis	fibrous-rooted sedge	2	4	3	3	12	L4
Oryzopsis asperifolia	white-fruited or rough-leaved	2	4	4	5	15	L3
Streptopus roseus	rose twisted-stalk	2	4	4	5	15	L3
Polystichum acrostichoides	Christmas fern	2	3	5	5	15	L3
Carex lupulina	hop sedge	2	4	4	4	14	L3
Carex brunnescens ssp. brunnescens	brownish sedge	3	3	4	4	14	L3
Carex disperma	two-seeded or soft-leaved sed	3	3	5	4	15	L3
Fraxinus nigra	black ash	2	4	4	3	13	L4
Carex disperma	two-seeded or soft-leaved sed	3	3	5	4	15	L3
Carex disperma	two-seeded or soft-leaved sed	3	3	5	4	15	L3
Carex utriculata	beaked or bottle-shaped sedge	3	3	5	4	15	L3
Sagittaria latifolia	common arrowhead	2	2	5	4	13	L4
Polygonum amphibium	water smartweed	2	4	4	4	14	L3
Calamagrostis canadensis	Canada blue joint	2	2	4	3	11	L4
Ribes triste	swamp red currant	3	4	4	5	16	L3
Menispermum canadense	moonseed	3	4	4	3	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Cyrtopodium calceolus var. parviflorum	smaller yellow lady's slipper	3	4	5	5	17	L2
Carex tuckermanii	Tuckerman's sedge	3	4	4	4	15	L3
Carex aquatilis	water or Goodenough's sedge	4	4	5	4	17	L2
Carex diandra	lesser panicled sedge	4	3	5	4	16	L3
Carex cephaloidea	thin-leaved sedge	4	2	5	3	14	L3
Polygonum amphibium	water smartweed	2	4	4	4	14	L3
Polygonum amphibium	water smartweed	2	4	4	4	14	L3
Potentilla palustris	marsh cinquefoil	3	5	4	5	17	L2
Equisetum variegatum ssp. variegatum	variegated scouring-rush	3	2	5	3	13	L4
Carex brunnescens ssp. brunnescens	brownish sedge	3	3	4	4	14	L3
Carex lupulina	hop sedge	2	4	4	4	14	L3
Viola canadensis	Canada violet	3	4	4	4	15	L3
Carex cephaloidea	thin-leaved sedge	4	2	5	3	14	L3
Carex aquatilis	water or Goodenough's sedge	4	4	5	4	17	L2
Potamogeton zosteriformis	eel-grass or flat-stemmed pon	3	5	5	5	18	L2
Potamogeton natans	floating pondweed	3	4	5	3	15	L3
Elodea canadensis	common elodea or water-weed	3	3	5	3	14	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Medeola virginiana	Indian cucumber-root	3	5	4	5	17	L2
Osmorhiza claytonii	woolly sweet cicely	3	4	4	4	15	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Trientalis borealis ssp. borealis	star-flower	2	4	4	5	15	L3
Clintonia borealis	yellow clintonia or bluebead	2	5	4	5	16	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Fraxinus nigra	black ash	2	4	4	3	13	L4
Carex crinita	fringed sedge	3	4	4	4	15	L3
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Clintonia borealis	yellow clintonia or bluebead	2	5	4	5	16	L3
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Trientalis borealis ssp. borealis	star-flower	2	4	4	5	15	L3
Coptis trifolia	goldthread	3	5	5	5	18	L2
Hydrocotyle americana	marsh pennywort	3	4	4	4	15	L3
Streptopus roseus	rose twisted-stalk	2	4	4	5	15	L3
Trientalis borealis ssp. borealis	star-flower	2	4	4	5	15	L3
Osmorhiza claytonii	woolly sweet cicely	3	4	4	4	15	L3
Coptis trifolia	goldthread	3	5	5	5	18	L2
Pyrola elliptica	shinleaf	2	4	4	4	14	L3
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Fraxinus nigra	black ash	2	4	4	3	13	L4
Mitchella repens	partridgeberry	2	4	4	5	15	L3
Trientalis borealis ssp. borealis	star-flower	2	4	4	5	15	L3
Coptis trifolia	goldthread	3	5	5	5	18	L2
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Dryopteris clintoniana	Clinton's wood fern	3	5	5	4	17	L2
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Medeola virginiana	Indian cucumber-root	3	5	4	5	17	L2
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Equisetum variegatum ssp. variegatum	variegated scouring-rush	3	2	5	3	13	L4
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Trientalis borealis ssp. borealis	star-flower	2	4	4	5	15	L3
Dryopteris clintoniana	Clinton's wood fern	3	5	5	4	17	L2
Medeola virginiana	Indian cucumber-root	3	5	4	5	17	L2
Trientalis borealis ssp. borealis	star-flower	2	4	4	5	15	L3
Streptopus roseus	rose twisted-stalk	2	4	4	5	15	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Carex leptalea ssp. leptalea	bristle-stalked sedge	3	3	5	4	15	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Hydrocotyle americana	marsh pennywort	3	4	4	4	15	L3
Equisetum scirpoides	dwarf scouring rush	2	4	5	5	16	L3
Spiranthes cernua	nodding ladies' tresses	3	3	5	4	15	L3
Gentianopsis crinita	fringed gentian	4	4	5	5	18	L2
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Quercus macrocarpa	bur oak	1	4	3	3	11	L4
Osmunda regalis var. spectabilis	royal fern	3	5	5	5	18	L2
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Trientalis borealis ssp. borealis	star-flower	2	4	4	5	15	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Epilobium leptophyllum	narrow-leaved willow-herb	3	5	4	4	16	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Osmunda regalis var. spectabilis	royal fern	3	5	5	5	18	L2
Carex interior	inland or prairie star sedge	3	2	5	4	14	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Coptis trifolia	goldthread	3	5	5	5	18	L2
Osmunda regalis var. spectabilis	royal fern	3	5	5	5	18	L2
Trientalis borealis ssp. borealis	star-flower	2	4	4	5	15	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Larix laricina	tamarack	3	4	4	4	15	L3
Carex eburnea	bristle-leaved sedge	3	4	4	4	15	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Osmunda regalis var. spectabilis	royal fern	3	5	5	5	18	L2
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Picea glauca	white spruce	3	5	4	3	15	L3
Osmunda regalis var. spectabilis	royal fern	3	5	5	5	18	L2
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Carex alopecoidea	foxtail or brown-headed wood	3	3	4	4	14	L3
Carex alopecoidea	foxtail or brown-headed wood	3	3	4	4	14	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Angelica atropurpurea	angelica	4	3	4	3	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Carex laevivaginata	smooth-sheathed sedge	2	4	4	4	14	L3
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Carex leptalea ssp. leptalea	bristle-stalked sedge	3	3	5	4	15	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Mitella nuda	naked mitrewort	2	4	5	5	16	L3
Carex disperma	two-seeded or soft-leaved sed	3	3	5	4	15	L3
Carex alopecoidea	foxtail or brown-headed wood	3	3	4	4	14	L3
Equisetum fluviatile	water horsetail	2	4	5	4	15	L3
Carex interior	inland or prairie star sedge	3	2	5	4	14	L3
Quercus alba	white oak	3	5	4	5	17	L2
Caulophyllum giganteum	long-styled blue cohosh	2	3	4	4	13	L4
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Lonicera canadensis	fly honeysuckle	3	4	3	4	14	L3
Caulophyllum giganteum	long-styled blue cohosh	2	3	4	4	13	L4
Caulophyllum giganteum	long-styled blue cohosh	2	3	4	4	13	L4
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Caulophyllum giganteum	long-styled blue cohosh	2	3	4	4	13	L4
Dirca palustris	leatherwood	3	4	5	4	16	L3
Caulophyllum giganteum	long-styled blue cohosh	2	3	4	4	13	L4
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Carex hirtifolia	pubescent or hairy-leaved sed	3	3	5	3	14	L3
Claytonia caroliniana	broad-leaved spring beauty	3	4	5	4	16	L3
Caulophyllum giganteum	long-styled blue cohosh	2	3	4	4	13	L4
Caulophyllum giganteum	long-styled blue cohosh	2	3	4	4	13	L4
Claytonia caroliniana	broad-leaved spring beauty	3	4	5	4	16	L3
Claytonia caroliniana	broad-leaved spring beauty	3	4	5	4	16	L3
Claytonia caroliniana	broad-leaved spring beauty	3	4	5	4	16	L3
Caulophyllum giganteum	long-styled blue cohosh	2	3	4	4	13	L4
Epilobium leptophyllum	narrow-leaved willow-herb	3	5	4	4	16	L3
Equisetum variegatum ssp. variegatum	variegated scouring-rush	3	2	5	3	13	L4
Carex laevivaginata	smooth-sheathed sedge	2	4	4	4	14	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Abies balsamea	balsam fir	2	3	4	5	14	L3
Mitella nuda	naked mitrewort	2	4	5	5	16	L3
Larix laricina	tamarack	3	4	4	4	15	L3
Carex scabrata	rough sedge	3	3	4	3	13	L3
Equisetum fluviatile	water horsetail	2	4	5	4	15	L3
Epilobium leptophyllum	narrow-leaved willow-herb	3	5	4	4	16	L3
Equisetum fluviatile	water horsetail	2	4	5	4	15	L3
Epilobium leptophyllum	narrow-leaved willow-herb	3	5	4	4	16	L3
Mitella nuda	naked mitrewort	2	4	5	5	16	L3
Mitella nuda	naked mitrewort	2	4	5	5	16	L3
Quercus macrocarpa	bur oak	1	4	3	3	11	L4
Abies balsamea	balsam fir	2	3	4	5	14	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Viola renifolia	kidney-leaved violet	4	4	5	3	16	L3
Mitella nuda	naked mitrewort	2	4	5	5	16	L3
Abies balsamea	balsam fir	2	3	4	5	14	L3
Carex laevivaginata	smooth-sheathed sedge	2	4	4	4	14	L3
Epilobium leptophyllum	narrow-leaved willow-herb	3	5	4	4	16	L3
Epilobium leptophyllum	narrow-leaved willow-herb	3	5	4	4	16	L3
Epilobium leptophyllum	narrow-leaved willow-herb	3	5	4	4	16	L3
Liparis loeselii	fen or Loesel's twayblade	3	3	5	5	16	L3
Carex alopecoidea	foxtail or brown-headed wood	3	3	4	4	14	L3
Epilobium leptophyllum	narrow-leaved willow-herb	3	5	4	4	16	L3
Quercus macrocarpa	bur oak	1	4	3	3	11	L4
Epifagus virginiana	beech-drops	2	3	4	2	11	L4
Epifagus virginiana	beech-drops	2	3	4	2	11	L4
Epifagus virginiana	beech-drops	2	3	4	2	11	L4
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Epifagus virginiana	beech-drops	2	3	4	2	11	L4
Epifagus virginiana	beech-drops	2	3	4	2	11	L4
Epilobium leptophyllum	narrow-leaved willow-herb	3	5	4	4	16	L3
Quercus macrocarpa	bur oak	1	4	3	3	11	L4
Abies balsamea	balsam fir	2	3	4	5	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Abies balsamea</i>	balsam fir	2	3	4	5	14	L3
<i>Quercus macrocarpa</i>	bur oak	1	4	3	3	11	L4
<i>Uvularia grandiflora</i>	large-flowered bellwort	2	4	5	5	16	L3
<i>Polystichum acrostichoides</i>	Christmas fern	2	3	5	5	15	L3
<i>Anemone acutiloba</i>	sharp-lobed hepatica	2	4	4	5	15	L3
<i>Alnus incana</i> ssp. <i>rugosa</i>	speckled or tag alder	3	4	4	5	16	L3
<i>Hydrocotyle americana</i>	marsh pennywort	3	4	4	4	15	L3
<i>Cicuta bulbifera</i>	bulblet-bearing water-hemlock	3	3	5	4	15	L3
<i>Fagus grandifolia</i>	American beech	1	4	3	4	12	L4
<i>Orthilia secunda</i>	one-sided pyrola	4	5	5	5	19	L1
<i>Cornus rugosa</i>	round-leaved dogwood	3	4	4	3	14	L3
<i>Aquilegia canadensis</i>	wild columbine	2	4	3	5	14	L3
<i>Betula papyrifera</i>	paper or white birch	1	4	2	4	11	L4
<i>Cystopteris bulbifera</i>	bulblet fern	1	4	4	4	13	L4
<i>Cystopteris bulbifera</i>	bulblet fern	1	4	4	4	13	L4
<i>Equisetum variegatum</i> ssp. <i>variegatum</i>	variegated scouring-rush	3	2	5	3	13	L4
<i>Scirpus microcarpus</i>	barber-pole sedge or bulrush	2	2	4	3	11	L4
<i>Betula papyrifera</i>	paper or white birch	1	4	2	4	11	L4
<i>Quercus macrocarpa</i>	bur oak	1	4	3	3	11	L4
<i>Cardamine concatenata</i>	cut-leaved toothwort	2	3	5	4	14	L3
<i>Anemone quinquefolia</i> var. <i>quinquefolia</i>	wood-anemone	3	4	4	5	16	L3
<i>Betula papyrifera</i>	paper or white birch	1	4	2	4	11	L4
<i>Cornus rugosa</i>	round-leaved dogwood	3	4	4	3	14	L3
<i>Adiantum pedatum</i>	northern maidenhair fern	2	3	5	5	15	L3
<i>Cystopteris bulbifera</i>	bulblet fern	1	4	4	4	13	L4
<i>Caulophyllum thalictroides</i>	blue cohosh	5	3	5	4	17	L2
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Cardamine concatenata</i>	cut-leaved toothwort	2	3	5	4	14	L3
<i>Schizachne purpurascens</i> ssp. <i>purpurascens</i>	purple or false melic grass	3	3	3	5	14	L3
<i>Acer spicatum</i>	mountain maple	2	3	4	4	13	L4
<i>Anemone quinquefolia</i> var. <i>quinquefolia</i>	wood-anemone	3	4	4	5	16	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Adiantum pedatum</i>	northern maidenhair fern	2	3	5	5	15	L3
<i>Cardamine concatenata</i>	cut-leaved toothwort	2	3	5	4	14	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Caltha palustris</i>	marsh marigold	2	4	3	4	13	L4
<i>Allium tricoccum</i>	wild leek or ramps	2	3	4	4	13	L3
<i>Taxus canadensis</i>	Canada yew or ground hemlock	2	4	4	5	15	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Cardamine concatenata</i>	cut-leaved toothwort	2	3	5	4	14	L3
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Dicentra canadensis</i>	squirrel-corn	2	4	5	4	15	L3
<i>Dicentra cucullaria</i>	Dutchman's breeches	3	4	5	5	17	L2
<i>Anemone quinquefolia</i> var. <i>quinquefolia</i>	wood-anemone	3	4	4	5	16	L3
<i>Taxus canadensis</i>	Canada yew or ground hemlock	2	4	4	5	15	L3
<i>Polystichum acrostichoides</i>	Christmas fern	2	3	5	5	15	L3
<i>Juglans cinerea</i>	butternut	2	4	4	4	14	L3
<i>Polystichum acrostichoides</i>	Christmas fern	2	3	5	5	15	L3
<i>Carex laxiflora</i>	loose-flowered sedge	3	3	4	3	13	L4
<i>Claytonia caroliniana</i>	broad-leaved spring beauty	3	4	5	4	16	L3
<i>Claytonia caroliniana</i>	broad-leaved spring beauty	3	4	5	4	16	L3
<i>Dicentra canadensis</i>	squirrel-corn	2	4	5	4	15	L3
<i>Dicentra canadensis</i>	squirrel-corn	2	4	5	4	15	L3
<i>Claytonia caroliniana</i>	broad-leaved spring beauty	3	4	5	4	16	L3
<i>Dicentra canadensis</i>	squirrel-corn	2	4	5	4	15	L3
<i>Claytonia caroliniana</i>	broad-leaved spring beauty	3	4	5	4	16	L3
<i>Carex plantaginea</i>	plantain-leaved sedge	3	4	5	4	16	L3
<i>Dirca palustris</i>	leatherwood	3	4	5	4	16	L3
<i>Taxus canadensis</i>	Canada yew or ground hemlock	2	4	4	5	15	L3
<i>Taxus canadensis</i>	Canada yew or ground hemlock	2	4	4	5	15	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Chrysosplenium americanum</i>	golden saxifrage	3	3	5	4	15	L3
<i>Osmunda cinnamomea</i>	cinnamon fern	2	5	5	5	17	L2
<i>Claytonia caroliniana</i>	broad-leaved spring beauty	3	4	5	4	16	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Claytonia caroliniana	broad-leaved spring beauty	3	4	5	4	16	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Coptis trifolia	goldthread	3	5	5	5	18	L2
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Equisetum scirpoides	dwarf scouring rush	2	4	5	5	16	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Equisetum fluviatile	water horsetail	2	4	5	4	15	L3
Alnus incana ssp. rugosa	speckled or tag alder	3	4	4	5	16	L3
Nymphaea odorata	fragrant water lily	4	5	5	4	18	L2
Ceratophyllum demersum	coontail	3	4	5	4	16	L3
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Hydrocotyle americana	marsh pennywort	3	4	4	4	15	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Nymphaea odorata	fragrant water lily	4	5	5	4	18	L2
Hydrocotyle americana	marsh pennywort	3	4	4	4	15	L3
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Mitella nuda	naked mitrewort	2	4	5	5	16	L3
Polystichum acrostichoides	Christmas fern	2	3	5	5	15	L3
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Larix laricina	tamarack	3	4	4	4	15	L3
Coptis trifolia	goldthread	3	5	5	5	18	L2
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Clintonia borealis	yellow clintonia or bluebead	2	5	4	5	16	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Trientalis borealis ssp. borealis	star-flower	2	4	4	5	15	L3
Equisetum scirpoides	dwarf scouring rush	2	4	5	5	16	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Mitella nuda	naked mitrewort	2	4	5	5	16	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Alnus incana ssp. rugosa	speckled or tag alder	3	4	4	5	16	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Bromus ciliatus	fringed brome grass	3	4	4	5	16	L3
Mitella nuda	naked mitrewort	2	4	5	5	16	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Alnus incana ssp. rugosa	speckled or tag alder	3	4	4	5	16	L3
Larix laricina	tamarack	3	4	4	4	15	L3
Trifentalis borealis ssp. borealis	star-flower	2	4	4	5	15	L3
Mitella nuda	naked mitrewort	2	4	5	5	16	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Spiraea alba	meadowsweet or wild spiraea	3	4	4	3	14	L3
Alnus incana ssp. rugosa	speckled or tag alder	3	4	4	5	16	L3
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Pyrola elliptica	shinleaf	2	4	4	4	14	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Alnus incana ssp. rugosa	speckled or tag alder	3	4	4	5	16	L3
Hydrocotyle americana	marsh pennywort	3	4	4	4	15	L3
Bromus ciliatus	fringed brome grass	3	4	4	5	16	L3
Mimulus ringens	square-stemmed monkey-flower	5	2	3	4	14	L3
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Dicentra canadensis	squirrel-corn	2	4	5	4	15	L3
Streptopus roseus	rose twisted-stalk	2	4	4	5	15	L3
Claytonia caroliniana	broad-leaved spring beauty	3	4	5	4	16	L3
Claytonia caroliniana	broad-leaved spring beauty	3	4	5	4	16	L3
Dicentra canadensis	squirrel-corn	2	4	5	4	15	L3
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Claytonia caroliniana	broad-leaved spring beauty	3	4	5	4	16	L3
Uvularia grandiflora	large-flowered bellwort	2	4	5	5	16	L3
Claytonia caroliniana	broad-leaved spring beauty	3	4	5	4	16	L3
Uvularia grandiflora	large-flowered bellwort	2	4	5	5	16	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Dicentra canadensis</i>	squirrel-corn	2	4	5	4	15	L3
<i>Carex interior</i>	inland or prairie star sedge	3	2	5	4	14	L3
<i>Carex interior</i>	inland or prairie star sedge	3	2	5	4	14	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Mitella nuda</i>	naked mitrewort	2	4	5	5	16	L3
<i>Osmunda regalis</i> var. <i>spectabilis</i>	royal fern	3	5	5	5	18	L2
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Dicentra cucullaria</i>	Dutchman's breeches	3	4	5	5	17	L2
<i>Claytonia caroliniana</i>	broad-leaved spring beauty	3	4	5	4	16	L3
<i>Uvularia grandiflora</i>	large-flowered bellwort	2	4	5	5	16	L3
<i>Dicentra canadensis</i>	squirrel-corn	2	4	5	4	15	L3
<i>Anemone acutiloba</i>	sharp-lobed hepatica	2	4	4	5	15	L3
<i>Streptopus roseus</i>	rose twisted-stalk	2	4	4	5	15	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Potamogeton foliosus</i>	leafy pondweed	3	3	5	4	15	L3
<i>Larix laricina</i>	tamarack	3	4	4	4	15	L3
<i>Coptis trifolia</i>	goldthread	3	5	5	5	18	L2
<i>Trientalis borealis</i> ssp. <i>borealis</i>	star-flower	2	4	4	5	15	L3
<i>Equisetum fluviatile</i>	water horsetail	2	4	5	4	15	L3
<i>Equisetum scirpoides</i>	dwarf scouring rush	2	4	5	5	16	L3
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Taxus canadensis</i>	Canada yew or ground hemlock	2	4	4	5	15	L3
<i>Alnus incana</i> ssp. <i>rugosa</i>	speckled or tag alder	3	4	4	5	16	L3
<i>Equisetum fluviatile</i>	water horsetail	2	4	5	4	15	L3
<i>Hydrocotyle americana</i>	marsh pennywort	3	4	4	4	15	L3
<i>Alnus incana</i> ssp. <i>rugosa</i>	speckled or tag alder	3	4	4	5	16	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Chrysosplenium americanum</i>	golden saxifrage	3	3	5	4	15	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Osmunda cinnamomea</i>	cinnamon fern	2	5	5	5	17	L2
<i>Osmunda regalis</i> var. <i>spectabilis</i>	royal fern	3	5	5	5	18	L2
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Trientalis borealis</i> ssp. <i>borealis</i>	star-flower	2	4	4	5	15	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Bromus ciliatus	fringed brome grass	3	4	4	5	16	L3
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Elodea canadensis	common elodea or water-weed	3	3	5	3	14	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Mitella nuda	naked mitrewort	2	4	5	5	16	L3
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Hydrocotyle americana	marsh pennywort	3	4	4	4	15	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Dryopteris clintoniana	Clinton's wood fern	3	5	5	4	17	L2
Ludwigia palustris	water purslane	4	3	4	4	15	L3
Carex crinita	fringed sedge	3	4	4	4	15	L3
Menispermum canadense	moonseed	3	4	4	3	14	L3
Menispermum canadense	moonseed	3	4	4	3	14	L3
Chrysosplenium americanum	golden saxifrage	3	3	5	4	15	L3
Bromus ciliatus	fringed brome grass	3	4	4	5	16	L3
Uvularia grandiflora	large-flowered bellwort	2	4	5	5	16	L3
Mitella nuda	naked mitrewort	2	4	5	5	16	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Chrysosplenium americanum	golden saxifrage	3	3	5	4	15	L3
Mitella nuda	naked mitrewort	2	4	5	5	16	L3
Ribes triste	swamp red currant	3	4	4	5	16	L3
Carex laevivaginata	smooth-sheathed sedge	2	4	4	4	14	L3
Trientalis borealis ssp. borealis	star-flower	2	4	4	5	15	L3
Menispermum canadense	moonseed	3	4	4	3	14	L3
Podophyllum peltatum	May-apple	2	3	3	3	11	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Maianthemum canadense	Canada mayflower	2	4	1	5	12	L4

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Caulophyllum giganteum	long-styled blue cohosh	2	3	4	4	13	L4
Populus grandidentata	large-toothed aspen	2	3	4	3	12	L4
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Amelanchier laevis	smooth serviceberry	3	2	4	3	12	L4
Arisaema triphyllum	Jack-in-the-pulpit	1	3	3	4	11	L4
Cardamine diphylla	broad- or two-leaved toothwort	2	3	4	4	13	L4
Cystopteris bulbifera	bulblet fern	1	4	4	4	13	L4
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Fagus grandifolia	American beech	1	4	3	4	12	L4
Betula allegheniensis	yellow or curly birch	1	4	3	5	13	L4
Juglans cinerea	butternut	2	4	4	4	14	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Podophyllum peltatum	May-apple	2	3	3	3	11	L4
Crataegus macrocarpa	variable hawthorn	5	2	4	3	14	L3
Populus grandidentata	large-toothed aspen	2	3	4	3	12	L4
Juglans cinerea	butternut	2	4	4	4	14	L3
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Juglans cinerea	butternut	2	4	4	4	14	L3
Tsuga canadensis	eastern hemlock	0	4	3	5	12	L4
Pinus strobus	white pine	1	4	3	4	12	L4
Tsuga canadensis	eastern hemlock	0	4	3	5	12	L4
Diervilla lonicera	bush honeysuckle	2	3	2	4	11	L4
Juglans cinerea	butternut	2	4	4	4	14	L3
Cystopteris bulbifera	bulblet fern	1	4	4	4	13	L4
Cardamine diphylla	broad- or two-leaved toothwort	2	3	4	4	13	L4
Crataegus macrocarpa	variable hawthorn	5	2	4	3	14	L3
Diervilla lonicera	bush honeysuckle	2	3	2	4	11	L4
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Maianthemum canadense	Canada mayflower	2	4	1	5	12	L4
Asarum canadense	wild ginger	2	3	4	3	12	L4
Caulophyllum giganteum	long-styled blue cohosh	2	3	4	4	13	L4
Arisaema triphyllum	Jack-in-the-pulpit	1	3	3	4	11	L4
Schizachne purpurascens ssp.	purple or false melic grass	3	3	3	5	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
purpurascens							
Fagus grandifolia	American beech	1	4	3	4	12	L4
Tsuga canadensis	eastern hemlock	0	4	3	5	12	L4
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Cystopteris bulbifera	bulblet fern	1	4	4	4	13	L4
Cardamine diphylla	broad- or two-leaved toothwor	2	3	4	4	13	L4
Crataegus macrocarpa	variable hawthorn	5	2	4	3	14	L3
Podophyllum peltatum	May-apple	2	3	3	3	11	L4
Juglans cinerea	butternut	2	4	4	4	14	L3
Polystichum acrostichoides	Christmas fern	2	3	5	5	15	L3
Carex pedunculata	early-flowering sedge	2	3	3	3	11	L4
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Podophyllum peltatum	May-apple	2	3	3	3	11	L4
Cardamine diphylla	broad- or two-leaved toothwor	2	3	4	4	13	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Cystopteris bulbifera	bulblet fern	1	4	4	4	13	L4
Arisaema triphyllum	Jack-in-the-pulpit	1	3	3	4	11	L4
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Carex pedunculata	early-flowering sedge	2	3	3	3	11	L4
Betula allegheniensis	yellow or curly birch	1	4	3	5	13	L4
Nuphar variegata	bullhead lily or yellow water	3	4	5	3	15	L3
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Arisaema triphyllum	Jack-in-the-pulpit	1	3	3	4	11	L4
Impatiens pallida	yellow touch-me-not (pale jew	3	2	4	2	11	L4
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Betula allegheniensis	yellow or curly birch	1	4	3	5	13	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Diervilla lonicera	bush honeysuckle	2	3	2	4	11	L4
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Tsuga canadensis	eastern hemlock	0	4	3	5	12	L4
Carex pedunculata	early-flowering sedge	2	3	3	3	11	L4

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Caulophyllum giganteum	long-styled blue cohosh	2	3	4	4	13	L4
Fagus grandifolia	American beech	1	4	3	4	12	L4
Dryopteris marginalis	marginal wood fern	1	3	3	4	11	L4
Arisaema triphyllum	Jack-in-the-pulpit	1	3	3	4	11	L4
Cardamine diphylla	broad- or two-leaved toothwort	2	3	4	4	13	L4
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Tsuga canadensis	eastern hemlock	0	4	3	5	12	L4
Fagus grandifolia	American beech	1	4	3	4	12	L4
Betula papyrifera	paper or white birch	1	4	2	4	11	L4
Rudbeckia hirta	black-eyed Susan	2	4	4	3	13	L4
Asclepias tuberosa	butterfly milkweed	0	0	0	0	0	LX
Carex hystericina	porcupine sedge	2	3	2	5	12	L4
Scirpus microcarpus	barber-pole sedge or bulrush	2	2	4	3	11	L4
Rudbeckia hirta	black-eyed Susan	2	4	4	3	13	L4
Cystopteris bulbifera	bulblet fern	1	4	4	4	13	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Fagus grandifolia	American beech	1	4	3	4	12	L4
Cystopteris bulbifera	bulblet fern	1	4	4	4	13	L4
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Cystopteris bulbifera	bulblet fern	1	4	4	4	13	L4
Lilium michiganense	Michigan or Turk's cap lily	3	4	3	5	15	L3
Lilium michiganense	Michigan or Turk's cap lily	3	4	3	5	15	L3
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Fagus grandifolia	American beech	1	4	3	4	12	L4
Betula allegheniensis	yellow or curly birch	1	4	3	5	13	L4
Lilium michiganense	Michigan or Turk's cap lily	3	4	3	5	15	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Cystopteris bulbifera</i>	bulblet fern	1	4	4	4	13	L4
<i>Betula allegheniensis</i>	yellow or curly birch	1	4	3	5	13	L4
<i>Carex stricta</i>	tussock sedge	2	3	3	4	12	L4
<i>Rudbeckia hirta</i>	black-eyed Susan	2	4	4	3	13	L4
<i>Physocarpus opulifolius</i>	ninebark	5	2	5	4	16	L3
<i>Lilium michiganense</i>	Michigan or Turk's cap lily	3	4	3	5	15	L3
<i>Sagittaria latifolia</i>	common arrowhead	2	2	5	4	13	L4
<i>Scirpus microcarpus</i>	barber-pole sedge or bulrush	2	2	4	3	11	L4
<i>Scirpus validus</i>	soft-stemmed bulrush	2	2	5	3	12	L4
<i>Lilium michiganense</i>	Michigan or Turk's cap lily	3	4	3	5	15	L3
<i>Cystopteris bulbifera</i>	bulblet fern	1	4	4	4	13	L4
<i>Lilium michiganense</i>	Michigan or Turk's cap lily	3	4	3	5	15	L3
<i>Thuja occidentalis</i>	white cedar	1	4	1	5	11	L4
<i>Thuja occidentalis</i>	white cedar	1	4	1	5	11	L4
<i>Thuja occidentalis</i>	white cedar	1	4	1	5	11	L4
<i>Thuja occidentalis</i>	white cedar	1	4	1	5	11	L4
<i>Thuja occidentalis</i>	white cedar	1	4	1	5	11	L4
<i>Thuja occidentalis</i>	white cedar	1	4	1	5	11	L4
<i>Pinus strobus</i>	white pine	1	4	3	4	12	L4
<i>Acer saccharinum</i>	silver maple	2	2	4	3	11	L4
<i>Pinus strobus</i>	white pine	1	4	3	4	12	L4
<i>Elymus riparius</i>	riverbank wild rye	2	2	5	2	11	L4
<i>Carex lacustris</i>	lake-bank sedge	3	3	3	4	13	L4
<i>Elymus riparius</i>	riverbank wild rye	2	2	5	2	11	L4
<i>Thuja occidentalis</i>	white cedar	1	4	1	5	11	L4
<i>Pinus strobus</i>	white pine	1	4	3	4	12	L4
<i>Thuja occidentalis</i>	white cedar	1	4	1	5	11	L4
<i>Cystopteris bulbifera</i>	bulblet fern	1	4	4	4	13	L4
<i>Elodea canadensis</i>	common elodea or water-weed	3	3	5	3	14	L3
<i>Ceratophyllum demersum</i>	coontail	3	4	5	4	16	L3
<i>Nymphaea odorata</i>	fragrant water lily	4	5	5	4	18	L2
<i>Cornus amomum</i> ssp. <i>obliqua</i>	silky dogwood	3	3	5	2	13	L4
<i>Alnus incana</i> ssp. <i>rugosa</i>	speckled or tag alder	3	4	4	5	16	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Sagittaria latifolia	common arrowhead	2	2	5	4	13	L4
Rudbeckia hirta	black-eyed Susan	2	4	4	3	13	L4
Pontederia cordata	pickerel-weed	5	5	5	4	19	L1
Potamogeton natans	floating pondweed	3	4	5	3	15	L3
Betula allegheniensis	yellow or curly birch	1	4	3	5	13	L4
Picea glauca	white spruce	3	5	4	3	15	L3
Elymus riparius	riverbank wild rye	2	2	5	2	11	L4
Chelone glabra	turtlehead	3	3	4	4	14	L3
Elymus riparius	riverbank wild rye	2	2	5	2	11	L4
Impatiens pallida	yellow touch-me-not (pale jew)	3	2	4	2	11	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Potamogeton foliosus	leafy pondweed	3	3	5	4	15	L3
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Podophyllum peltatum	May-apple	2	3	3	3	11	L4
Acer saccharinum	silver maple	2	2	4	3	11	L4
Fraxinus nigra	black ash	2	4	4	3	13	L4
Abies balsamea	balsam fir	2	3	4	5	14	L3
Quercus macrocarpa	bur oak	1	4	3	3	11	L4
Tsuga canadensis	eastern hemlock	0	4	3	5	12	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Carex lacustris	lake-bank sedge	3	3	3	4	13	L4
Alnus incana ssp. rugosa	speckled or tag alder	3	4	4	5	16	L3
Maianthemum canadense	Canada mayflower	2	4	1	5	12	L4
Calla palustris	water arum	3	5	5	5	18	L2
Mitella diphylla	mitrewort	2	3	4	4	13	L4
Quercus macrocarpa	bur oak	1	4	3	3	11	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Carpinus caroliniana ssp. virginiana	blue beech or American hornbe	2	3	4	2	11	L4
Podophyllum peltatum	May-apple	2	3	3	3	11	L4
Fraxinus nigra	black ash	2	4	4	3	13	L4
Lonicera dioica	wild or glaucous honeysuckle	2	4	4	4	14	L3
Acer saccharinum	silver maple	2	2	4	3	11	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Scirpus microcarpus	barber-pole sedge or bulrush	2	2	4	3	11	L4
Sagittaria latifolia	common arrowhead	2	2	5	4	13	L4
Glyceria grandis	tall manna grass	2	3	4	2	11	L4
Scirpus validus	soft-stemmed bulrush	2	2	5	3	12	L4
Juncus effusus ssp. solutus	soft rush	2	4	4	3	13	L4
Carex lacustris	lake-bank sedge	3	3	3	4	13	L4
Iris versicolor	blue flag	2	5	4	5	16	L3
Quercus macrocarpa	bur oak	1	4	3	3	11	L4
Salix amygdaloides	peach-leaved willow	2	2	5	3	12	L4
Carex stricta	tussock sedge	2	3	3	4	12	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Cystopteris bulbifera	bulblet fern	1	4	4	4	13	L4
Quercus macrocarpa	bur oak	1	4	3	3	11	L4
Nymphaea odorata	fragrant water lily	4	5	5	4	18	L2
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Betula allegheniensis	yellow or curly birch	1	4	3	5	13	L4
Corylus cornuta	beaked hazel	2	4	3	4	13	L4
Betula papyrifera	paper or white birch	1	4	2	4	11	L4
Juglans cinerea	butternut	2	4	4	4	14	L3
Tsuga canadensis	eastern hemlock	0	4	3	5	12	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Cystopteris bulbifera	bulblet fern	1	4	4	4	13	L4
Betula allegheniensis	yellow or curly birch	1	4	3	5	13	L4
Pinus strobus	white pine	1	4	3	4	12	L4
Salix amygdaloides	peach-leaved willow	2	2	5	3	12	L4
Euonymus obovata	running strawberry-bush	3	4	4	4	15	L3
Pinus strobus	white pine	1	4	3	4	12	L4
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Euonymus obovata	running strawberry-bush	3	4	4	4	15	L3
Betula allegheniensis	yellow or curly birch	1	4	3	5	13	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Calla palustris</i>	water arum	3	5	5	5	18	L2
<i>Picea mariana</i>	black spruce	4	4	5	5	18	L2
<i>Abies balsamea</i>	balsam fir	2	3	4	5	14	L3
<i>Larix laricina</i>	tamarack	3	4	4	4	15	L3
<i>Acer spicatum</i>	mountain maple	2	3	4	4	13	L4
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Podophyllum peltatum</i>	May-apple	2	3	3	3	11	L4
<i>Cardamine diphylla</i>	broad- or two-leaved toothwort	2	3	4	4	13	L4
<i>Caltha palustris</i>	marsh marigold	2	4	3	4	13	L4
<i>Thuja occidentalis</i>	white cedar	1	4	1	5	11	L4
<i>Podophyllum peltatum</i>	May-apple	2	3	3	3	11	L4
<i>Fraxinus nigra</i>	black ash	2	4	4	3	13	L4
<i>Populus grandidentata</i>	large-toothed aspen	2	3	4	3	12	L4
<i>Diervilla lonicera</i>	bush honeysuckle	2	3	2	4	11	L4
<i>Podophyllum peltatum</i>	May-apple	2	3	3	3	11	L4
<i>Prunus nigra</i>	Canada plum	4	4	4	3	15	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Caulophyllum thalictroides</i>	long-styled blue cohosh	2	3	4	4	13	L4
<i>Asarum canadense</i>	wild ginger	2	3	4	3	12	L4
<i>Uvularia grandiflora</i>	large-flowered bellwort	2	4	5	5	16	L3
<i>Anemone acutiloba</i>	sharp-lobed hepatica	2	4	4	5	15	L3
<i>Juniperus communis</i>	common juniper	3	3	4	4	14	L3
<i>Rosa blanda</i>	smooth wild rose	3	2	3	3	11	L4
<i>Quercus macrocarpa</i>	bur oak	1	4	3	3	11	L4
<i>Quercus macrocarpa</i>	bur oak	1	4	3	3	11	L4
<i>Pinus strobus</i>	white pine	1	4	3	4	12	L4
<i>Thuja occidentalis</i>	white cedar	1	4	1	5	11	L4
<i>Calla palustris</i>	water arum	3	5	5	5	18	L2
<i>Dicentra cucullaria</i>	Dutchman's breeches	3	4	5	5	17	L2
<i>Fraxinus nigra</i>	black ash	2	4	4	3	13	L4
<i>Anemone quinquefolia</i> var. <i>quinquefolia</i>	wood-anemone	3	4	4	5	16	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Amelanchier laevis	smooth serviceberry	3	2	4	3	12	L4
Fagus grandifolia	American beech	1	4	3	4	12	L4
Caltha palustris	marsh marigold	2	4	3	4	13	L4
Quercus macrocarpa	bur oak	1	4	3	3	11	L4
Caltha palustris	marsh marigold	2	4	3	4	13	L4
Quercus macrocarpa	bur oak	1	4	3	3	11	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Carpinus caroliniana ssp. virginiana	blue beech or American hornbe	2	3	4	2	11	L4
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Pinus strobus	white pine	1	4	3	4	12	L4
Quercus macrocarpa	bur oak	1	4	3	3	11	L4
Quercus macrocarpa	bur oak	1	4	3	3	11	L4
Ranunculus hispidus var. caricetorum	swamp buttercup	2	4	4	3	13	L4
Maianthemum canadense	Canada mayflower	2	4	1	5	12	L4
Quercus macrocarpa	bur oak	1	4	3	3	11	L4
Pteridium aquilinum var. latiusculum	eastern bracken	2	4	2	4	12	L4
Maianthemum canadense	Canada mayflower	2	4	1	5	12	L4
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Amelanchier laevis	smooth serviceberry	3	2	4	3	12	L4
Diervilla lonicera	bush honeysuckle	2	3	2	4	11	L4
Maianthemum canadense	Canada mayflower	2	4	1	5	12	L4
Crataegus macracantha	long-spined hawthorn	2	2	4	3	11	L4
Quercus macrocarpa	bur oak	1	4	3	3	11	L4
Amelanchier laevis	smooth serviceberry	3	2	4	3	12	L4
Juglans cinerea	butternut	2	4	4	4	14	L3
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Ranunculus hispidus var. caricetorum	swamp buttercup	2	4	4	3	13	L4
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Fraxinus nigra	black ash	2	4	4	3	13	L4
Cardamine diphylla	broad- or two-leaved toothwor	2	3	4	4	13	L4

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Juglans cinerea	butternut	2	4	4	4	14	L3
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Betula allegheniensis	yellow or curly birch	1	4	3	5	13	L4
Tsuga canadensis	eastern hemlock	0	4	3	5	12	L4
Maianthemum canadense	Canada mayflower	2	4	1	5	12	L4
Corylus cornuta	beaked hazel	2	4	3	4	13	L4
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Caulophyllum thalictroides	long-styled blue cohosh	2	3	4	4	13	L4
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Pinus strobus	white pine	1	4	3	4	12	L4
Tsuga canadensis	eastern hemlock	0	4	3	5	12	L4
Actaea pachypoda	white baneberry	2	3	4	3	12	L4
Carex arctata	nodding wood sedge	2	4	2	3	11	L4
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Fagus grandifolia	American beech	1	4	3	4	12	L4
Podophyllum peltatum	May-apple	2	3	3	3	11	L4
Maianthemum canadense	Canada mayflower	2	4	1	5	12	L4
Tsuga canadensis	eastern hemlock	0	4	3	5	12	L4
Fagus grandifolia	American beech	1	4	3	4	12	L4
Quercus macrocarpa	bur oak	1	4	3	3	11	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Pinus strobus	white pine	1	4	3	4	12	L4
Mitella diphylla	mitrewort	2	3	4	4	13	L4
Caulophyllum thalictroides	long-styled blue cohosh	2	3	4	4	13	L4
Allium tricoccum	wild leek or ramps	2	3	4	4	13	L3
Podophyllum peltatum	May-apple	2	3	3	3	11	L4
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Carex hirtifolia	pubescent or hairy-leaved sedge	3	3	5	3	14	L3
Claytonia caroliniana	broad-leaved spring beauty	3	4	5	4	16	L3
Tsuga canadensis	eastern hemlock	0	4	3	5	12	L4
Cardamine diphylla	broad- or two-leaved toothwort	2	3	4	4	13	L4
Cardamine concatenata	cut-leaved toothwort	2	3	5	4	14	L3
Fagus grandifolia	American beech	1	4	3	4	12	L4

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Dicentra canadensis	squirrel-corn	2	4	5	4	15	L3
Claytonia caroliniana	broad-leaved spring beauty	3	4	5	4	16	L3
Podophyllum peltatum	May-apple	2	3	3	3	11	L4
Cardamine diphylla	broad- or two-leaved toothwort	2	3	4	4	13	L4
Arisaema triphyllum	Jack-in-the-pulpit	1	3	3	4	11	L4
Fagus grandifolia	American beech	1	4	3	4	12	L4
Tsuga canadensis	eastern hemlock	0	4	3	5	12	L4
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Caulophyllum giganteum	long-styled blue cohosh	2	3	4	4	13	L4
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Acer saccharum ssp. nigrum	black maple	3	3	3	2	11	L4
Dicentra cucullaria	Dutchman's breeches	3	4	5	5	17	L2
Cardamine concatenata	cut-leaved toothwort	2	3	5	4	14	L3
Podophyllum peltatum	May-apple	2	3	3	3	11	L4
Arisaema triphyllum	Jack-in-the-pulpit	1	3	3	4	11	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Acer saccharum ssp. nigrum	black maple	3	3	3	2	11	L4
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Tsuga canadensis	eastern hemlock	0	4	3	5	12	L4
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Caulophyllum giganteum	long-styled blue cohosh	2	3	4	4	13	L4
Fagus grandifolia	American beech	1	4	3	4	12	L4
Allium tricoccum	wild leek or ramps	2	3	4	4	13	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Cardamine diphylla	broad- or two-leaved toothwort	2	3	4	4	13	L4
Caulophyllum giganteum	long-styled blue cohosh	2	3	4	4	13	L4
Claytonia caroliniana	broad-leaved spring beauty	3	4	5	4	16	L3
Podophyllum peltatum	May-apple	2	3	3	3	11	L4
Cystopteris bulbifera	bulblet fern	1	4	4	4	13	L4

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Arisaema triphyllum	Jack-in-the-pulpit	1	3	3	4	11	L4
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Claytonia caroliniana	broad-leaved spring beauty	3	4	5	4	16	L3
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Cardamine diphylla	broad- or two-leaved toothwort	2	3	4	4	13	L4
Allium tricoccum	wild leek or ramps	2	3	4	4	13	L3
Cystopteris bulbifera	bulblet fern	1	4	4	4	13	L4
Caulophyllum giganteum	long-styled blue cohosh	2	3	4	4	13	L4
Betula allegheniensis	yellow or curly birch	1	4	3	5	13	L4
Arisaema triphyllum	Jack-in-the-pulpit	1	3	3	4	11	L4
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Betula allegheniensis	yellow or curly birch	1	4	3	5	13	L4
Tsuga canadensis	eastern hemlock	0	4	3	5	12	L4
Juglans cinerea	butternut	2	4	4	4	14	L3
Dryopteris intermedia	evergreen wood fern	2	4	3	3	12	L4
Podophyllum peltatum	May-apple	2	3	3	3	11	L4
Maianthemum canadense	Canada mayflower	2	4	1	5	12	L4
Actaea pachypoda	white baneberry	2	3	4	3	12	L4
Pinus strobus	white pine	1	4	3	4	12	L4
Asarum canadense	wild ginger	2	3	4	3	12	L4
Caulophyllum giganteum	long-styled blue cohosh	2	3	4	4	13	L4
Arisaema triphyllum	Jack-in-the-pulpit	1	3	3	4	11	L4
Fagus grandifolia	American beech	1	4	3	4	12	L4
Pinus resinosa	red pine	4	5	5	5	19	L1
Pinus strobus	white pine	1	4	3	4	12	L4
Picea glauca	white spruce	3	5	4	3	15	L3
Pinus resinosa	red pine	4	5	5	5	19	L1
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Scirpus microcarpus	barber-pole sedge or bulrush	2	2	4	3	11	L4
Pinus strobus	white pine	1	4	3	4	12	L4
Betula papyrifera	paper or white birch	1	4	2	4	11	L4
Typha latifolia	broad-leaved cattail	1	4	4	4	13	L4
Salix discolor	pussy willow	2	3	4	3	12	L4

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Typha latifolia</i>	broad-leaved cattail	1	4	4	4	13	L4
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Pinus resinosa</i>	red pine	4	5	5	5	19	L1
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Pinus resinosa</i>	red pine	4	5	5	5	19	L1
<i>Elodea canadensis</i>	common elodea or water-weed	3	3	5	3	14	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Juncus torreyi</i>	Torrey's rush	4	2	4	2	12	L4
<i>Taxus canadensis</i>	Canada yew or ground hemlock	2	4	4	5	15	L3
<i>Salix petiolaris</i>	slender willow	3	3	5	3	14	L3
<i>Claytonia caroliniana</i>	broad-leaved spring beauty	3	4	5	4	16	L3
<i>Salix petiolaris</i>	slender willow	3	3	5	3	14	L3
<i>Allium tricoccum</i>	wild leek or ramps	2	3	4	4	13	L3
<i>Claytonia caroliniana</i>	broad-leaved spring beauty	3	4	5	4	16	L3
<i>Dicentra canadensis</i>	squirrel-corn	2	4	5	4	15	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Claytonia caroliniana</i>	broad-leaved spring beauty	3	4	5	4	16	L3
<i>Allium tricoccum</i>	wild leek or ramps	2	3	4	4	13	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Allium tricoccum</i>	wild leek or ramps	2	3	4	4	13	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Claytonia caroliniana</i>	broad-leaved spring beauty	3	4	5	4	16	L3
<i>Allium tricoccum</i>	wild leek or ramps	2	3	4	4	13	L3
<i>Claytonia caroliniana</i>	broad-leaved spring beauty	3	4	5	4	16	L3
<i>Antennaria howellii</i> ssp. <i>neodioica</i>	field or mat-forming pussytoe	3	3	4	4	14	L3
<i>Sisyrinchium montanum</i>	blue-eyed grass	3	3	4	4	14	L3
<i>Iris versicolor</i>	blue flag	2	5	4	5	16	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Eriophorum viridi-carinatum	thin-leaved cotton-grass	5	4	5	5	19	L1
Carex leptalea ssp. leptalea	bristle-stalked sedge	3	3	5	4	15	L3
Iris versicolor	blue flag	2	5	4	5	16	L3
Lobelia siphilitica	great blue lobelia	3	3	4	4	14	L3
Carex interior	inland or prairie star sedge	3	2	5	4	14	L3
Equisetum fluviatile	water horsetail	2	4	5	4	15	L3
Sisyrinchium montanum	blue-eyed grass	3	3	4	4	14	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Elodea canadensis	common elodea or water-weed	3	3	5	3	14	L3
Sisyrinchium montanum	blue-eyed grass	3	3	4	4	14	L3
Lobelia siphilitica	great blue lobelia	3	3	4	4	14	L3
Carex leptalea ssp. leptalea	bristle-stalked sedge	3	3	5	4	15	L3
Juncus nodosus	knotted rush	3	2	5	3	13	L4
Salix lucida	shining willow	2	4	5	3	14	L3
Prunus nigra	Canada plum	4	4	4	3	15	L3
Prunus nigra	Canada plum	4	4	4	3	15	L3
Elodea canadensis	common elodea or water-weed	3	3	5	3	14	L3
Prunus nigra	Canada plum	4	4	4	3	15	L3
Prunus nigra	Canada plum	4	4	4	3	15	L3
Equisetum fluviatile	water horsetail	2	4	5	4	15	L3
Amelanchier sanguinea var. sanguinea	round-leaved serviceberry	4	2	3	4	13	L4
Picea glauca	white spruce	3	5	4	3	15	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Amelanchier sanguinea var. sanguinea	round-leaved serviceberry	4	2	3	4	13	L4
Mimulus ringens	square-stemmed monkey-flower	5	2	3	4	14	L3
Iris versicolor	blue flag	2	5	4	5	16	L3
Lobelia siphilitica	great blue lobelia	3	3	4	4	14	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Equisetum fluviatile	water horsetail	2	4	5	4	15	L3
Hydrocotyle americana	marsh pennywort	3	4	4	4	15	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Pinus resinosa	red pine	4	5	5	5	19	L1

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Hydrocotyle americana	marsh pennywort	3	4	4	4	15	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Claytonia caroliniana	broad-leaved spring beauty	3	4	5	4	16	L3
Pinus strobus	white pine	1	4	3	4	12	L4
Pinus strobus	white pine	1	4	3	4	12	L4
Apocynum androsaemifolium	spreading dogbane	5	3	2	3	13	L4
Picea glauca	white spruce	3	5	4	3	15	L3
Scirpus validus	soft-stemmed bulrush	2	2	5	3	12	L4
Typha latifolia	broad-leaved cattail	1	4	4	4	13	L4
Pinus strobus	white pine	1	4	3	4	12	L4
Alisma plantago-aquatica	water-plantain	2	2	5	2	11	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Maianthemum canadense	Canada mayflower	2	4	1	5	12	L4
Carya cordiformis	bitternut hickory	2	4	4	2	12	L4
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Podophyllum peltatum	May-apple	2	3	3	3	11	L4
Pinus strobus	white pine	1	4	3	4	12	L4
Juglans cinerea	butternut	2	4	4	4	14	L3
Populus grandidentata	large-toothed aspen	2	3	4	3	12	L4
Podophyllum peltatum	May-apple	2	3	3	3	11	L4
Carex retrorsa	retorse sedge	2	3	3	4	12	L4
Betula papyrifera	paper or white birch	1	4	2	4	11	L4
Juglans cinerea	butternut	2	4	4	4	14	L3
Carex laevivaginata	smooth-sheathed sedge	2	4	4	4	14	L3
Quercus rubra	red oak	1	4	2	4	11	L4
Pinus strobus	white pine	1	4	3	4	12	L4
Pinus strobus	white pine	1	4	3	4	12	L4
Acer saccharinum	silver maple	2	2	4	3	11	L4
Juglans cinerea	butternut	2	4	4	4	14	L3
Carex retrorsa	retorse sedge	2	3	3	4	12	L4
Alisma plantago-aquatica	water-plantain	2	2	5	2	11	L4

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Carex laevivaginata	smooth-sheathed sedge	2	4	4	4	14	L3
Arisaema triphyllum	Jack-in-the-pulpit	1	3	3	4	11	L4
Caulophyllum giganteum	long-styled blue cohosh	2	3	4	4	13	L4
Maianthemum canadense	Canada mayflower	2	4	1	5	12	L4
Actaea pachypoda	white baneberry	2	3	4	3	12	L4
Podophyllum peltatum	May-apple	2	3	3	3	11	L4
Maianthemum canadense	Canada mayflower	2	4	1	5	12	L4
Carya cordiformis	bitternut hickory	2	4	4	2	12	L4
Juglans cinerea	butternut	2	4	4	4	14	L3
Arisaema triphyllum	Jack-in-the-pulpit	1	3	3	4	11	L4
Pinus strobus	white pine	1	4	3	4	12	L4
Caulophyllum giganteum	long-styled blue cohosh	2	3	4	4	13	L4
Juglans cinerea	butternut	2	4	4	4	14	L3
Carya cordiformis	bitternut hickory	2	4	4	2	12	L4
Diervilla lonicera	bush honeysuckle	2	3	2	4	11	L4
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Maianthemum canadense	Canada mayflower	2	4	1	5	12	L4
Arisaema triphyllum	Jack-in-the-pulpit	1	3	3	4	11	L4
Botrychium virginianum	rattlesnake fern	3	5	5	5	18	L2
Podophyllum peltatum	May-apple	2	3	3	3	11	L4
Maianthemum canadense	Canada mayflower	2	4	1	5	12	L4
Pinus strobus	white pine	1	4	3	4	12	L4
Maianthemum canadense	Canada mayflower	2	4	1	5	12	L4
Cornus rugosa	round-leaved dogwood	3	4	4	3	14	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Quercus rubra	red oak	1	4	2	4	11	L4
Pinus strobus	white pine	1	4	3	4	12	L4
Arisaema triphyllum	Jack-in-the-pulpit	1	3	3	4	11	L4
Quercus rubra	red oak	1	4	2	4	11	L4
Populus grandidentata	large-toothed aspen	2	3	4	3	12	L4
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Polygonatum pubescens	downy Solomon's seal	2	4	5	5	16	L3
Actaea pachypoda	white baneberry	2	3	4	3	12	L4

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Cornus rugosa	round-leaved dogwood	3	4	4	3	14	L3
Potamogeton foliosus	leafy pondweed	3	3	5	4	15	L3
Pinus resinosa	red pine	4	5	5	5	19	L1
Salix petiolaris	slender willow	3	3	5	3	14	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Pinus resinosa	red pine	4	5	5	5	19	L1
Larix laricina	tamarack	3	4	4	4	15	L3
Potamogeton amplifolius	large-leaved pondweed	4	4	5	4	17	L2
Picea glauca	white spruce	3	5	4	3	15	L3
Pinus resinosa	red pine	4	5	5	5	19	L1
Picea glauca	white spruce	3	5	4	3	15	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Myosotis laxa	smaller forget-me-not	5	4	3	4	16	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Polystichum acrostichooides	Christmas fern	2	3	5	5	15	L3
Anemone acutioba	sharp-lobed hepatica	2	4	4	5	15	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Anemone quinquefolia var. quinquefolia	wood-anemone	3	4	4	5	16	L3
Polystichum acrostichooides	Christmas fern	2	3	5	5	15	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Trientalis borealis ssp. borealis	star-flower	2	4	4	5	15	L3
Equisetum fluviatile	water horsetail	2	4	5	4	15	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Trientalis borealis ssp. borealis	star-flower	2	4	4	5	15	L3
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Sisyrinchium montanum	blue-eyed grass	3	3	4	4	14	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Spirodela polyrhiza	greater duckweed	3	4	5	2	14	L3
Potamogeton amplifolius	large-leaved pondweed	4	4	5	4	17	L2

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Cicuta bulbifera	bulblet-bearing water-hemlock	3	3	5	4	15	L3
Equisetum fluviatile	water horsetail	2	4	5	4	15	L3
Cornus rugosa	round-leaved dogwood	3	4	4	3	14	L3
Mitchella repens	partridgeberry	2	4	4	5	15	L3
Equisetum scirpoides	dwarf scouring rush	2	4	5	5	16	L3
Salix amygdaloides	peach-leaved willow	2	2	5	3	12	L4
Acer saccharinum	silver maple	2	2	4	3	11	L4
Fagus grandifolia	American beech	1	4	3	4	12	L4
Asclepias incarnata ssp. incarnata	swamp milkweed	2	3	4	3	12	L4
Eupatorium perfoliatum	boneset	1	3	4	3	11	L4
Carex hystericina	porcupine sedge	2	3	2	5	12	L4
Scirpus microcarpus	barber-pole sedge or bulrush	2	2	4	3	11	L4
Typha latifolia	broad-leaved cattail	1	4	4	4	13	L4
Salix discolor	pussy willow	2	3	4	3	12	L4
Salix bebbiana	beaked or Bebb's willow	1	4	4	4	13	L4
Salix amygdaloides	peach-leaved willow	2	2	5	3	12	L4
Acer saccharinum	silver maple	2	2	4	3	11	L4
Acer rubrum	red maple	2	4	2	5	13	L4
Rudbeckia hirta	black-eyed Susan	2	4	4	3	13	L4
Typha latifolia	broad-leaved cattail	1	4	4	4	13	L4
Potamogeton pectinatus	sago pondweed	2	2	5	3	12	L4
Scirpus validus	soft-stemmed bulrush	2	2	5	3	12	L4
Typha latifolia	broad-leaved cattail	1	4	4	4	13	L4
Acer saccharinum	silver maple	2	2	4	3	11	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Quercus rubra	red oak	1	4	2	4	11	L4
Quercus macrocarpa	bur oak	1	4	3	3	11	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Salix amygdaloides	peach-leaved willow	2	2	5	3	12	L4
Picea glauca	white spruce	3	5	4	3	15	L3
Pinus strobus	white pine	1	4	3	4	12	L4
Acer saccharinum	silver maple	2	2	4	3	11	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Typha latifolia</i>	broad-leaved cattail	1	4	4	4	13	L4
<i>Alisma plantago-aquatica</i>	water-plantain	2	2	5	2	11	L4
<i>Scirpus validus</i>	soft-stemmed bulrush	2	2	5	3	12	L4
<i>Acer spicatum</i>	mountain maple	2	3	4	4	13	L4
<i>Pinus strobus</i>	white pine	1	4	3	4	12	L4
<i>Pinus resinosa</i>	red pine	4	5	5	5	19	L1
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Fraxinus nigra</i>	black ash	2	4	4	3	13	L4
<i>Salix amygdaloides</i>	peach-leaved willow	2	2	5	3	12	L4
<i>Spirodela polyrhiza</i>	greater duckweed	3	4	5	2	14	L3
<i>Lemna trisulca</i>	star or ivy-leaved duckweed	3	4	5	3	15	L3
<i>Potamogeton foliosus</i>	leafy pondweed	3	3	5	4	15	L3
<i>Thuja occidentalis</i>	white cedar	1	4	1	5	11	L4
<i>Acer saccharinum</i>	silver maple	2	2	4	3	11	L4
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Pinus strobus</i>	white pine	1	4	3	4	12	L4
<i>Betula papyrifera</i>	paper or white birch	1	4	2	4	11	L4
<i>Carex lupulina</i>	hop sedge	2	4	4	4	14	L3
<i>Equisetum fluviatile</i>	water horsetail	2	4	5	4	15	L3
<i>Cicuta bulbifera</i>	bulblet-bearing water-hemlock	3	3	5	4	15	L3
<i>Iris versicolor</i>	blue flag	2	5	4	5	16	L3
<i>Osmunda cinnamomea</i>	cinnamon fern	2	5	5	5	17	L2
<i>Osmunda regalis</i> var. <i>spectabilis</i>	royal fern	3	5	5	5	18	L2
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Coptis trifolia</i>	goldthread	3	5	5	5	18	L2
<i>Ilex verticillata</i>	winterberry	3	4	4	5	16	L3
<i>Abies balsamea</i>	balsam fir	2	3	4	5	14	L3
<i>Clintonia borealis</i>	yellow clintonia or bluebead	2	5	4	5	16	L3
<i>Menyanthes trifoliata</i>	bog buckbean	5	5	5	5	20	L1
<i>Sparganium emersum</i> ssp. <i>emersum</i>	green-fruited bur-reed	3	3	5	4	15	L3
<i>Scirpus cyperinus</i>	woolly bulrush or wool-grass	2	3	4	5	14	L3
<i>Iris versicolor</i>	blue flag	2	5	4	5	16	L3
<i>Cicuta bulbifera</i>	bulblet-bearing water-hemlock	3	3	5	4	15	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Equisetum fluviatile</i>	water horsetail	2	4	5	4	15	L3
<i>Larix laricina</i>	tamarack	3	4	4	4	15	L3
<i>Equisetum sylvaticum</i>	woodland horsetail	3	3	5	4	15	L3
<i>Mitella nuda</i>	naked mitrewort	2	4	5	5	16	L3
<i>Fraxinus nigra</i>	black ash	2	4	4	3	13	L4
<i>Boehmeria cylindrica</i>	false nettle	2	4	4	3	13	L4
<i>Carex intumescens</i>	bladder sedge	3	4	3	2	12	L4
<i>Carex retrorsa</i>	retorse sedge	2	3	3	4	12	L4
<i>Carya cordiformis</i>	bitternut hickory	2	4	4	2	12	L4
<i>Acer saccharinum</i>	silver maple	2	2	4	3	11	L4
<i>Alisma plantago-aquatica</i>	water-plantain	2	2	5	2	11	L4
<i>Sparganium emersum</i> ssp. <i>emersum</i>	green-fruited bur-reed	3	3	5	4	15	L3
<i>Betula allegheniensis</i>	yellow or curly birch	1	4	3	5	13	L4
<i>Rubus pubescens</i>	dwarf raspberry	2	3	3	5	13	L4
<i>Potentilla palustris</i>	marsh cinquefoil	3	5	4	5	17	L2
<i>Asclepias incarnata</i> ssp. <i>incarnata</i>	swamp milkweed	2	3	4	3	12	L4
<i>Osmunda regalis</i> var. <i>spectabilis</i>	royal fern	3	5	5	5	18	L2
<i>Carex laevivaginata</i>	smooth-sheathed sedge	2	4	4	4	14	L3
<i>Betula papyrifera</i>	paper or white birch	1	4	2	4	11	L4
<i>Carex leptalea</i> ssp. <i>leptalea</i>	bristle-stalked sedge	3	3	5	4	15	L3
<i>Maianthemum canadense</i>	Canada mayflower	2	4	1	5	12	L4
<i>Trientalis borealis</i> ssp. <i>borealis</i>	star-flower	2	4	4	5	15	L3
<i>Carex disperma</i>	two-seeded or soft-leaved sed	3	3	5	4	15	L3
<i>Osmunda cinnamomea</i>	cinnamon fern	2	5	5	5	17	L2
<i>Liparis loeselii</i>	fen or Loesel's twayblade	3	3	5	5	16	L3
<i>Salix petiolaris</i>	slender willow	3	3	5	3	14	L3
<i>Scirpus cyperinus</i>	woolly bulrush or wool-grass	2	3	4	5	14	L3
<i>Salix bebbiana</i>	beaked or Bebb's willow	1	4	4	4	13	L4
<i>Salix discolor</i>	pussy willow	2	3	4	3	12	L4
<i>Tsuga canadensis</i>	eastern hemlock	0	4	3	5	12	L4
<i>Acer rubrum</i>	red maple	2	4	2	5	13	L4
<i>Pyrola elliptica</i>	shinleaf	2	4	4	4	14	L3
<i>Osmunda regalis</i> var. <i>spectabilis</i>	royal fern	3	5	5	5	18	L2

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Viburnum cassinoides	with-rod or wild raisin	4	4	5	4	17	L2
Cornus rugosa	round-leaved dogwood	3	4	4	3	14	L3
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Scirpus cyperinus	woolly bulrush or wool-grass	2	3	4	5	14	L3
Pinus strobus	white pine	1	4	3	4	12	L4
Lemna trisulca	star or ivy-leaved duckweed	3	4	5	3	15	L3
Calla palustris	water arum	3	5	5	5	18	L2
Salix petiolaris	slender willow	3	3	5	3	14	L3
Equisetum sylvaticum	woodland horsetail	3	3	5	4	15	L3
Carex lupulina	hop sedge	2	4	4	4	14	L3
Quercus rubra	red oak	1	4	2	4	11	L4
Arisaema triphyllum	Jack-in-the-pulpit	1	3	3	4	11	L4
Tsuga canadensis	eastern hemlock	0	4	3	5	12	L4
Acer rubrum	red maple	2	4	2	5	13	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Salix amygdaloides	peach-leaved willow	2	2	5	3	12	L4
Sparganium emersum ssp. emersum	green-fruited bur-reed	3	3	5	4	15	L3
Coptis trifolia	goldthread	3	5	5	5	18	L2
Pinus strobus	white pine	1	4	3	4	12	L4
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Calla palustris	water arum	3	5	5	5	18	L2
Carex lupulina	hop sedge	2	4	4	4	14	L3
Spiraea alba	meadowsweet or wild spiraea	3	4	4	3	14	L3
Trientalis borealis ssp. borealis	star-flower	2	4	4	5	15	L3
Larix laricina	tamarack	3	4	4	4	15	L3
Carex trisperma var. trisperma	three-seeded sedge	3	3	5	4	15	L3
Iris versicolor	blue flag	2	5	4	5	16	L3
Maianthemum canadense	Canada mayflower	2	4	1	5	12	L4
Acer rubrum	red maple	2	4	2	5	13	L4
Carya cordiformis	bitternut hickory	2	4	4	2	12	L4
Lysimachia thyrsoiflora	tufted loosestrife	3	3	4	4	14	L3
Galium trifidum var. trifidum	small bedstraw	4	4	4	3	15	L3
Salix petiolaris	slender willow	3	3	5	3	14	L3

Flora Species found in the Rouge River Watershed									
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK		
Campanula aparinoides	marsh bellflower	3	5	5	5	18	L2		
Betula papyrifera	paper or white birch	1	4	2	4	11	L4		
Thuja occidentalis	white cedar	1	4	1	5	11	L4		
Diervilla lonicera	bush honeysuckle	2	3	2	4	11	L4		
Equisetum fluviatile	water horsetail	2	4	5	4	15	L3		
Spiraea alba	meadowsweet or wild spiraea	3	4	4	3	14	L3		
Cicuta bulbifera	bulblet-bearing water-hemlock	3	3	5	4	15	L3		
Polygonum amphibium	water smartweed	2	4	4	4	14	L3		
Calla palustris	water arum	3	5	5	5	18	L2		
Sagittaria latifolia	common arrowhead	2	2	5	4	13	L4		
Betula papyrifera	paper or white birch	1	4	2	4	11	L4		
Carex stricta	tussock sedge	2	3	3	4	12	L4		
Typha latifolia	broad-leaved cattail	1	4	4	4	13	L4		
Pilea fontana	spring clearweed	3	4	4	4	15	L3		
Sparganium emersum ssp. emersum	green-fruited bur-reed	3	3	5	4	15	L3		
Salix discolor	pussy willow	2	3	4	3	12	L4		
Calamagrostis canadensis	Canada blue joint	2	2	4	3	11	L4		
Elodea canadensis	common elodea or water-weed	3	3	5	3	14	L3		
Spirodela polyrhiza	greater duckweed	3	4	5	2	14	L3		
Ceratophyllum demersum	coontail	3	4	5	4	16	L3		
Thelypteris palustris var. pubescens	marsh fern	2	4	2	4	12	L4		
Typha latifolia	broad-leaved cattail	1	4	4	4	13	L4		
Thelypteris palustris var. pubescens	marsh fern	2	4	2	4	12	L4		
Ceratophyllum demersum	coontail	3	4	5	4	16	L3		
Carex retrorsa	retorse sedge	2	3	3	4	12	L4		
Acer saccharinum	silver maple	2	2	4	3	11	L4		
Carex retrorsa	retorse sedge	2	3	3	4	12	L4		
Typha latifolia	broad-leaved cattail	1	4	4	4	13	L4		
Ceratophyllum demersum	coontail	3	4	5	4	16	L3		
Spirodela polyrhiza	greater duckweed	3	4	5	2	14	L3		
Elodea canadensis	common elodea or water-weed	3	3	5	3	14	L3		
Pinus resinosa	red pine	4	5	5	5	19	L1		
Picea glauca	white spruce	3	5	4	3	15	L3		

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Acer saccharinum	silver maple	2	2	4	3	11	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Bidens vulgatus	tall beggar's-ticks	4	2	4	4	14	L3
Typha latifolia	broad-leaved cattail	1	4	4	4	13	L4
Pilea fontana	spring cleareweed	3	4	4	4	15	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Scirpus validus	soft-stemmed bulrush	2	2	5	3	12	L4
Quercus rubra	red oak	1	4	2	4	11	L4
Acer saccharinum	silver maple	2	2	4	3	11	L4
Juglans cinerea	butternut	2	4	4	4	14	L3
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Quercus rubra	red oak	1	4	2	4	11	L4
Quercus macrocarpa	bur oak	1	4	3	3	11	L4
Arisaema triphyllum	Jack-in-the-pulpit	1	3	3	4	11	L4
Carpinus caroliniana ssp. virginiana	blue beech or American hornbe	2	3	4	2	11	L4
Caulophyllum giganteum	long-styled blue cohosh	2	3	4	4	13	L4
Betula allegheniensis	yellow or curly birch	1	4	3	5	13	L4
Asarum canadense	wild ginger	2	3	4	3	12	L4
Tsuga canadensis	eastern hemlock	0	4	3	5	12	L4
Pinus strobus	white pine	1	4	3	4	12	L4
Cystopteris bulbifera	bulblet fern	1	4	4	4	13	L4
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Pinus resinosa	red pine	4	5	5	5	19	L1
Maianthemum canadense	Canada mayflower	2	4	1	5	12	L4
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Streptopus roseus	rose twisted-stalk	2	4	4	5	15	L3
Epifagus virginiana	beech-drops	2	3	4	2	11	L4
Equisetum scirpoides	dwarf scouring rush	2	4	5	5	16	L3
Caulophyllum giganteum	long-styled blue cohosh	2	3	4	4	13	L4
Oryzopsis asperifolia	white-fruited or rough-leaved	2	4	4	5	15	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Allium tricoccum	wild leek or ramps	2	3	4	4	13	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Dryopteris marginalis	marginal wood fern	1	3	3	4	11	L4
Arisaema triphyllum	Jack-in-the-pulpit	1	3	3	4	11	L4
Dryopteris intermedia	evergreen wood fern	2	4	3	3	12	L4
Fagus grandifolia	American beech	1	4	3	4	12	L4
Diervilla lonicera	bush honeysuckle	2	3	2	4	11	L4
Actaea pachypoda	white baneberry	2	3	4	3	12	L4
Acer spicatum	mountain maple	2	3	4	4	13	L4
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Podophyllum peltatum	May-apple	2	3	3	3	11	L4
Asarum canadense	wild ginger	2	3	4	3	12	L4
Tiarella cordifolia	foam-flower	2	3	3	4	12	L4
Quercus rubra	red oak	1	4	2	4	11	L4
Apocynum androsaemifolium	spreading dogbane	5	3	2	3	13	L4
Populus grandidentata	large-toothed aspen	2	3	4	3	12	L4
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Dryopteris intermedia	evergreen wood fern	2	4	3	3	12	L4
Eupatorium perfoliatum	boneset	1	3	4	3	11	L4
Carex retrorsa	retorse sedge	2	3	3	4	12	L4
Pilea fontana	spring clearweed	3	4	4	4	15	L3
Pinus strobus	white pine	1	4	3	4	12	L4
Juglans cinerea	butternut	2	4	4	4	14	L3
Alisma plantago-aquatica	water-plantain	2	2	5	2	11	L4
Pilea fontana	spring clearweed	3	4	4	4	15	L3
Rubus pubescens	dwarf raspberry	2	3	3	5	13	L4
Mitella nuda	naked mitrewort	2	4	5	5	16	L3
Tiarella cordifolia	foam-flower	2	3	3	4	12	L4
Rudbeckia hirta	black-eyed Susan	2	4	4	3	13	L4
Apocynum androsaemifolium	spreading dogbane	5	3	2	3	13	L4
Thelypteris palustris var. pubescens	marsh fern	2	4	2	4	12	L4
Carex hystericina	porcupine sedge	2	3	2	5	12	L4
Pilea fontana	spring clearweed	3	4	4	4	15	L3
Hydrocotyle americana	marsh pennywort	3	4	4	4	15	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Juglans cinerea	butternut	2	4	4	4	14	L3
Maianthemum canadense	Canada mayflower	2	4	1	5	12	L4
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Carya cordiformis	bitternut hickory	2	4	4	2	12	L4
Polystichum acrostichoides	Christmas fern	2	3	5	5	15	L3
Quercus macrocarpa	bur oak	1	4	3	3	11	L4
Podophyllum peltatum	May-apple	2	3	3	3	11	L4
Allium tricoccum	wild leek or ramps	2	3	4	4	13	L3
Epifagus virginiana	beech-drops	2	3	4	2	11	L4
Dryopteris marginalis	marginal wood fern	1	3	3	4	11	L4
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Cystopteris bulbifera	bulblet fern	1	4	4	4	13	L4
Caulophyllum giganteum	long-styled blue cohosh	2	3	4	4	13	L4
Arisaema triphyllum	Jack-in-the-pulpit	1	3	3	4	11	L4
Asarum canadense	wild ginger	2	3	4	3	12	L4
Picea glauca	white spruce	3	5	4	3	15	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Tsuga canadensis	eastern hemlock	0	4	3	5	12	L4
Pinus strobus	white pine	1	4	3	4	12	L4
Podophyllum peltatum	May-apple	2	3	3	3	11	L4
Betula papyrifera	paper or white birch	1	4	2	4	11	L4
Acer saccharinum	silver maple	2	2	4	3	11	L4
Pinus strobus	white pine	1	4	3	4	12	L4
Acer rubrum	red maple	2	4	2	5	13	L4
Thuja occidentalis	white cedar	1	4	1	5	11	L4
Arisaema triphyllum	Jack-in-the-pulpit	1	3	3	4	11	L4
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Typha latifolia	broad-leaved cattail	1	4	4	4	13	L4
Quercus macrocarpa	bur oak	1	4	3	3	11	L4
Acer saccharinum	silver maple	2	2	4	3	11	L4
Quercus rubra	red oak	1	4	2	4	11	L4

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Juglans cinerea	butternut	2	4	4	4	14	L3
Tsuga canadensis	eastern hemlock	0	4	3	5	12	L4
Juglans cinerea	butternut	2	4	4	4	14	L3
Fagus grandifolia	American beech	1	4	3	4	12	L4
Typha latifolia	broad-leaved cattail	1	4	4	4	13	L4
Picea glauca	white spruce	3	5	4	3	15	L3
Betula allegheniensis	yellow or curly birch	1	4	3	5	13	L4
Fagus grandifolia	American beech	1	4	3	4	12	L4
Cystopteris bulbifera	bulblet fern	1	4	4	4	13	L4
Acer spicatum	mountain maple	2	3	4	4	13	L4
Tiarella cordifolia	foam-flower	2	3	3	4	12	L4
Asarum canadense	wild ginger	2	3	4	3	12	L4
Dryopteris intermedia	evergreen wood fern	2	4	3	3	12	L4
Pinus strobus	white pine	1	4	3	4	12	L4
Pinus resinosa	red pine	4	5	5	5	19	L1
Arisaema triphyllum	Jack-in-the-pulpit	1	3	3	4	11	L4
Juglans cinerea	butternut	2	4	4	4	14	L3
Caulophyllum giganteum	long-styled blue cohosh	2	3	4	4	13	L4
Pyrola elliptica	shinleaf	2	4	4	4	14	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Cystopteris bulbifera	bulblet fern	1	4	4	4	13	L4
Asarum canadense	wild ginger	2	3	4	3	12	L4
Acer saccharum ssp. nigrum	black maple	3	3	3	2	11	L4
Quercus macrocarpa	bur oak	1	4	3	3	11	L4
Caulophyllum giganteum	long-styled blue cohosh	2	3	4	4	13	L4
Pinus resinosa	red pine	4	5	5	5	19	L1
Maianthemum canadense	Canada mayflower	2	4	1	5	12	L4
Elodea canadensis	common elodea or water-weed	3	3	5	3	14	L3
Bidens vulgatus	tall beggar's-ticks	4	2	4	4	14	L3
Spirodela polyrhiza	greater duckweed	3	4	5	2	14	L3
Lobelia siphilitica	great blue lobelia	3	3	4	4	14	L3
Equisetum fluviatile	water horsetail	2	4	5	4	15	L3
Bidens vulgatus	tall beggar's-ticks	4	2	4	4	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Bidens vulgatus</i>	tall beggar's-ticks	4	2	4	4	14	L3
<i>Spirodela polyrhiza</i>	greater duckweed	3	4	5	2	14	L3
<i>Pinus resinosa</i>	red pine	4	5	5	5	19	L1
<i>Bidens vulgatus</i>	tall beggar's-ticks	4	2	4	4	14	L3
<i>Bidens vulgatus</i>	tall beggar's-ticks	4	2	4	4	14	L3
<i>Equisetum fluviatile</i>	water horsetail	2	4	5	4	15	L3
<i>Hydrocotyle americana</i>	marsh pennywort	3	4	4	4	15	L3
<i>Pilea fontana</i>	spring clearweed	3	4	4	4	15	L3
<i>Chelone glabra</i>	turtlehead	3	3	4	4	14	L3
<i>Salix petiolaris</i>	slender willow	3	3	5	3	14	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Equisetum fluviatile</i>	water horsetail	2	4	5	4	15	L3
<i>Nemopanthus mucronatus</i>	mountain holly	4	3	5	5	17	L2
<i>Nemopanthus mucronatus</i>	mountain holly	4	3	5	5	17	L2
<i>Glyceria canadensis</i>	rattlesnake grass	4	4	5	5	18	L2
<i>Epilobium leptophyllum</i>	narrow-leaved willow-herb	3	5	4	4	16	L3
<i>Glyceria canadensis</i>	rattlesnake grass	4	4	5	5	18	L2
<i>Spiraea alba</i>	meadowsweet or wild spiraea	3	4	4	3	14	L3
<i>Carex retrorsa</i>	retorse sedge	2	3	3	4	12	L4
<i>Carex alopecoidea</i>	foxtail or brown-headed wood	3	3	4	4	14	L3
<i>Carex molesta</i>	troublesome sedge	4	3	4	3	14	L3
<i>Caltha palustris</i>	marsh marigold	2	4	3	4	13	L4
<i>Pinus strobus</i>	white pine	1	4	3	4	12	L4
<i>Tsuga canadensis</i>	eastern hemlock	0	4	3	5	12	L4
<i>Carex pedunculata</i>	early-flowering sedge	2	3	3	3	11	L4
<i>Carex leptalea ssp. leptalea</i>	bristle-stalked sedge	3	3	5	4	15	L3
<i>Carex interior</i>	inland or prairie star sedge	3	2	5	4	14	L3
<i>Alnus incana ssp. rugosa</i>	speckled or tag alder	3	4	4	5	16	L3
<i>Salix bebbiana</i>	beaked or Bebb's willow	1	4	4	4	13	L4
<i>Juncus nodosus</i>	knotted rush	3	2	5	3	13	L4
<i>Carex pseudo-cyperus</i>	pseudocyperus sedge	1	3	3	4	11	L4
<i>Calamagrostis canadensis</i>	Canada blue joint	2	2	4	3	11	L4
<i>Carex magellanica ssp. irrigua</i>	stunted or bog sedge	5	4	5	4	18	L2

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Viola blanda</i>	sweet white violet	3	4	4	3	14	L3
<i>Carex brunnescens</i> ssp. <i>brunnescens</i>	brownish sedge	3	3	4	4	14	L3
<i>Clintonia borealis</i>	yellow clintonia or bluebead	2	5	4	5	16	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Allium tricoccum</i>	wild leek or ramps	2	3	4	4	13	L3
<i>Anemone acutiloba</i>	sharp-lobed hepatica	2	4	4	5	15	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Viola rostrata</i>	long-spurred violet	3	4	4	3	14	L3
<i>Anemone acutiloba</i>	sharp-lobed hepatica	2	4	4	5	15	L3
<i>Aquilegia canadensis</i>	wild columbine	2	4	3	5	14	L3
<i>Uvularia grandiflora</i>	large-flowered bellwort	2	4	5	5	16	L3
<i>Allium tricoccum</i>	wild leek or ramps	2	3	4	4	13	L3
<i>Polygonatum pubescens</i>	downy Solomon's seal	2	4	5	5	16	L3
<i>Streptopus roseus</i>	rose twisted-stalk	2	4	4	5	15	L3
<i>Uvularia grandiflora</i>	large-flowered bellwort	2	4	5	5	16	L3
<i>Anemone acutiloba</i>	sharp-lobed hepatica	2	4	4	5	15	L3
<i>Uvularia grandiflora</i>	large-flowered bellwort	2	4	5	5	16	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Polystichum acrostichoides</i>	Christmas fern	2	3	5	5	15	L3
<i>Carex communis</i>	fibrous-rooted sedge	2	4	3	3	12	L4
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Taxus canadensis</i>	Canada yew or ground hemlock	2	4	4	5	15	L3
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Abies balsamea</i>	balsam fir	2	3	4	5	14	L3
<i>Polygonatum pubescens</i>	downy Solomon's seal	2	4	5	5	16	L3
<i>Trientalis borealis</i> ssp. <i>borealis</i>	star-flower	2	4	4	5	15	L3
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Trientalis borealis ssp. borealis	star-flower	2	4	4	5	15	L3
Trientalis borealis ssp. borealis	star-flower	2	4	4	5	15	L3
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Equisetum scirpoides	dwarf scouring rush	2	4	5	5	16	L3
Coptis trifolia	goldthread	3	5	5	5	18	L2
Clintonia borealis	yellow clintonia or bluebead	2	5	4	5	16	L3
Equisetum scirpoides	dwarf scouring rush	2	4	5	5	16	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Trientalis borealis ssp. borealis	star-flower	2	4	4	5	15	L3
Linnaea borealis ssp. longiflora	twinflower	4	5	5	5	19	L1
Clintonia borealis	yellow clintonia or bluebead	2	5	4	5	16	L3
Coptis trifolia	goldthread	3	5	5	5	18	L2
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Osmunda regalis var. spectabilis	royal fern	3	5	5	5	18	L2
Circaea alpina	smaller enchanter's nightshad	2	4	5	4	15	L3
Mitella nuda	naked mitrewort	2	4	5	5	16	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Equisetum scirpoides	dwarf scouring rush	2	4	5	5	16	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Circaea alpina	smaller enchanter's nightshad	2	4	5	4	15	L3
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Cornus canadensis	bunchberry	3	5	5	5	18	L2
Pinus resinosa	red pine	4	5	5	5	19	L1
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Equisetum scirpoides	dwarf scouring rush	2	4	5	5	16	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Allium tricoccum	wild leek or ramps	2	3	4	4	13	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Claytonia caroliniana	broad-leaved spring beauty	3	4	5	4	16	L3
Carex hirtifolia	pubescent or hairy-leaved sed	3	3	5	3	14	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Allium tricoccum	wild leek or ramps	2	3	4	4	13	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Claytonia caroliniana	broad-leaved spring beauty	3	4	5	4	16	L3
Dicentra canadensis	squirrel-corn	2	4	5	4	15	L3
Claytonia caroliniana	broad-leaved spring beauty	3	4	5	4	16	L3
Claytonia caroliniana	broad-leaved spring beauty	3	4	5	4	16	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Allium tricoccum	wild leek or ramps	2	3	4	4	13	L3
Dirca palustris	leatherwood	3	4	5	4	16	L3
Polystichum acrostichooides	Christmas fern	2	3	5	5	15	L3
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Claytonia caroliniana	broad-leaved spring beauty	3	4	5	4	16	L3
Dicentra canadensis	squirrel-corn	2	4	5	4	15	L3
Polystichum acrostichooides	Christmas fern	2	3	5	5	15	L3
Dicentra canadensis	squirrel-corn	2	4	5	4	15	L3
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Claytonia caroliniana	broad-leaved spring beauty	3	4	5	4	16	L3
Polygonatum pubescens	downy Solomon's seal	2	4	5	5	16	L3
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Allium tricoccum	wild leek or ramps	2	3	4	4	13	L3
Claytonia caroliniana	broad-leaved spring beauty	3	4	5	4	16	L3
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Polygonatum pubescens	downy Solomon's seal	2	4	5	5	16	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Taxus canadensis</i>	Canada yew or ground hemlock	2	4	4	5	15	L3
<i>Juglans cinerea</i>	butternut	2	4	4	4	14	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Ribes triste</i>	swamp red currant	3	4	4	5	16	L3
<i>Circaea alpina</i>	smaller enchanter's nightshad	2	4	5	4	15	L3
<i>Carex hirtifolia</i>	pubescent or hairy-leaved sed	3	3	5	3	14	L3
<i>Mitella nuda</i>	naked mitrewort	2	4	5	5	16	L3
<i>Osmunda cinnamomea</i>	cinnamon fern	2	5	5	5	17	L2
<i>Carex laevivaginata</i>	smooth-sheathed sedge	2	4	4	4	14	L3
<i>Adiantum pedatum</i>	northern maidenhair fern	2	3	5	5	15	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Carex scabrata</i>	rough sedge	3	3	4	3	13	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Circaea alpina</i>	smaller enchanter's nightshad	2	4	5	4	15	L3
<i>Taxus canadensis</i>	Canada yew or ground hemlock	2	4	4	5	15	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Osmunda cinnamomea</i>	cinnamon fern	2	5	5	5	17	L2
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Wolffia columbiana</i>	columbia water-meal	3	4	5	2	14	L3
<i>Myosotis laxa</i>	smaller forget-me-not	5	4	3	4	16	L3
<i>Spirodela polyrhiza</i>	greater duckweed	3	4	5	2	14	L3
<i>Osmunda cinnamomea</i>	cinnamon fern	2	5	5	5	17	L2
<i>Iris versicolor</i>	blue flag	2	5	4	5	16	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Iris versicolor</i>	blue flag	2	5	4	5	16	L3
<i>Equisetum variegatum</i> ssp. <i>variegatum</i>	variegated scouring-rush	3	2	5	3	13	L4
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Trientalis borealis</i> ssp. <i>borealis</i>	star-flower	2	4	4	5	15	L3
<i>Equisetum fluviatile</i>	water horsetail	2	4	5	4	15	L3
<i>Carex laevivaginata</i>	smooth-sheathed sedge	2	4	4	4	14	L3
<i>Spirodela polyrhiza</i>	greater duckweed	3	4	5	2	14	L3
<i>Wolffia columbiana</i>	columbia water-meal	3	4	5	2	14	L3
<i>Equisetum fluviatile</i>	water horsetail	2	4	5	4	15	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Circaea alpina</i>	smaller enchanter's nightshad	2	4	5	4	15	L3
<i>Viburnum trilobum</i>	highbush cranberry	4	5	4	4	17	L2
<i>Myosotis laxa</i>	smaller forget-me-not	5	4	3	4	16	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Osmunda cinnamomea</i>	cinnamon fern	2	5	5	5	17	L2
<i>Pinus resinosa</i>	red pine	4	5	5	5	19	L1
<i>Mitella nuda</i>	naked mitrewort	2	4	5	5	16	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Mitella nuda</i>	naked mitrewort	2	4	5	5	16	L3
<i>Carex laevivaginata</i>	smooth-sheathed sedge	2	4	4	4	14	L3
<i>Hydrocotyle americana</i>	marsh pennywort	3	4	4	4	15	L3
<i>Trientalis borealis ssp. borealis</i>	star-flower	2	4	4	5	15	L3
<i>Carex leptalea ssp. leptalea</i>	bristle-stalked sedge	3	3	5	4	15	L3
<i>Larix laricina</i>	tamarack	3	4	4	4	15	L3
<i>Coptis trifolia</i>	goldthread	3	5	5	5	18	L2
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Spirodela polyrhiza</i>	greater duckweed	3	4	5	2	14	L3
<i>Iris versicolor</i>	blue flag	2	5	4	5	16	L3
<i>Equisetum fluviatile</i>	water horsetail	2	4	5	4	15	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Iris versicolor</i>	blue flag	2	5	4	5	16	L3
<i>Lemna trisulca</i>	star or ivy-leaved duckweed	3	4	5	3	15	L3
<i>Carex laevivaginata</i>	smooth-sheathed sedge	2	4	4	4	14	L3
<i>Agrostis scabra</i>	ticklegass	4	3	4	4	15	L3
<i>Larix laricina</i>	tamarack	3	4	4	4	15	L3
<i>Taxus canadensis</i>	Canada yew or ground hemlock	2	4	4	5	15	L3
<i>Carex laevivaginata</i>	smooth-sheathed sedge	2	4	4	4	14	L3
<i>Polystichum acrostichoides</i>	Christmas fern	2	3	5	5	15	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Taxus canadensis</i>	Canada yew or ground hemlock	2	4	4	5	15	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Pinus resinosa	red pine	4	5	5	5	19	L1
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Equisetum scirpoides	dwarf scouring rush	2	4	5	5	16	L3
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Circaea alpina	smaller enchanter's nightshad	2	4	5	4	15	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Equisetum scirpoides	dwarf scouring rush	2	4	5	5	16	L3
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Equisetum fluviatile	water horsetail	2	4	5	4	15	L3
Carex laevivaginata	smooth-sheathed sedge	2	4	4	4	14	L3
Sisyrinchium montanum	blue-eyed grass	3	3	4	4	14	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Equisetum fluviatile	water horsetail	2	4	5	4	15	L3
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Circaea alpina	smaller enchanter's nightshad	2	4	5	4	15	L3
Nuphar variegata	bullhead lily or yellow water	3	4	5	3	15	L3
Pontederia cordata	pickerel-weed	5	5	5	4	19	L1
Penstemon digitalis	foxglove beard-tongue	4	2	4	2	12	L4
Nuphar variegata	bullhead lily or yellow water	3	4	5	3	15	L3
Elodea canadensis	common elodea or water-weed	3	3	5	3	14	L3
Potamogeton foliosus	leafy pondweed	3	3	5	4	15	L3
Equisetum variegatum ssp. variegatum	variegated scouring-rush	3	2	5	3	13	L4
Equisetum fluviatile	water horsetail	2	4	5	4	15	L3
Sisyrinchium montanum	blue-eyed grass	3	3	4	4	14	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Picea glauca	white spruce	3	5	4	3	15	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Salix petiolaris	slender willow	3	3	5	3	14	L3
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Carex scabrata	rough sedge	3	3	4	3	13	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Polystichum acrostichooides	Christmas fern	2	3	5	5	15	L3
Myosotis laxa	smaller forget-me-not	5	4	3	4	16	L3
Carex laevivaginata	smooth-sheathed sedge	2	4	4	4	14	L3
Carex leptalea ssp. leptalea	bristle-stalked sedge	3	3	5	4	15	L3
Pyrrola asarifolia	pink pyrola	4	4	5	5	18	L2
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Uvularia grandiflora	large-flowered bellwort	2	4	5	5	16	L3
Polygonatum pubescens	downy Solomon's seal	2	4	5	5	16	L3
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Polygonatum pubescens	downy Solomon's seal	2	4	5	5	16	L3
Dicentra canadensis	squirrel-corn	2	4	5	4	15	L3
Cystopteris tenuis	Mackay's fragile fern	3	4	5	5	17	L2
Schizachne purpurascens ssp. purpurascens	purple or false melic grass	3	3	3	5	14	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Dicentra canadensis	squirrel-corn	2	4	5	4	15	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Pinus resinosa	red pine	4	5	5	5	19	L1
Monotropa hypopithys	pinemap	3	4	5	5	17	L2
Monotropa hypopithys	pinemap	3	4	5	5	17	L2
Juglans cinerea	butternut	2	4	4	4	14	L3
Monotropa hypopithys	pinemap	3	4	5	5	17	L2
Pinus resinosa	red pine	4	5	5	5	19	L1
Picea glauca	white spruce	3	5	4	3	15	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Monotropa hypopithys</i>	pinemap	3	4	5	5	17	L2
<i>Pinus resinosa</i>	red pine	4	5	5	5	19	L1
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Monotropa hypopithys</i>	pinemap	3	4	5	5	17	L2
<i>Pinus resinosa</i>	red pine	4	5	5	5	19	L1
<i>Monotropa hypopithys</i>	pinemap	3	4	5	5	17	L2
<i>Pinus resinosa</i>	red pine	4	5	5	5	19	L1
<i>Equisetum variegatum</i> ssp. <i>variegatum</i>	variegated scouring-rush	3	2	5	3	13	L4
<i>Carex scabrata</i>	rough sedge	3	3	4	3	13	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Myosotis laxa</i>	smaller forget-me-not	5	4	3	4	16	L3
<i>Spirodela polyrhiza</i>	greater duckweed	3	4	5	2	14	L3
<i>Wolffia columbiana</i>	columbia water-meal	3	4	5	2	14	L3
<i>Sparganium emersum</i> ssp. <i>emersum</i>	green-fruited bur-reed	3	3	5	4	15	L3
<i>Carex laevivaginata</i>	smooth-sheathed sedge	2	4	4	4	14	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Taxus canadensis</i>	Canada yew or ground hemlock	2	4	4	5	15	L3
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Nymphaea odorata</i>	fragrant water lily	4	5	5	4	18	L2
<i>Cicuta bulbifera</i>	bulblet-bearing water-hemlock	3	3	5	4	15	L3
<i>Iris versicolor</i>	blue flag	2	5	4	5	16	L3
<i>Myosotis laxa</i>	smaller forget-me-not	5	4	3	4	16	L3
<i>Salix petiolaris</i>	slender willow	3	3	5	3	14	L3
<i>Sparganium emersum</i> ssp. <i>emersum</i>	green-fruited bur-reed	3	3	5	4	15	L3
<i>Nymphaea odorata</i>	fragrant water lily	4	5	5	4	18	L2
<i>Myosotis laxa</i>	smaller forget-me-not	5	4	3	4	16	L3
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Juglans cinerea</i>	butternut	2	4	4	4	14	L3
<i>Spirodela polyrhiza</i>	greater duckweed	3	4	5	2	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Wolffia columbiana</i>	columbia water-meal	3	4	5	2	14	L3
<i>Spirodela polyrhiza</i>	greater duckweed	3	4	5	2	14	L3
<i>Wolffia columbiana</i>	columbia water-meal	3	4	5	2	14	L3
<i>Potamogeton amplifolius</i>	large-leaved pondweed	4	4	5	4	17	L2
<i>Lemna trisulca</i>	star or ivy-leaved duckweed	3	4	5	3	15	L3
<i>Sparganium emersum</i> ssp. <i>emersum</i>	green-fruited bur-reed	3	3	5	4	15	L3
<i>Equisetum fluviatile</i>	water horsetail	2	4	5	4	15	L3
<i>Mimulus ringens</i>	square-stemmed monkey-flower	5	2	3	4	14	L3
<i>Cicuta bulbifera</i>	bulblet-bearing water-hemlock	3	3	5	4	15	L3
<i>Myosotis laxa</i>	smaller forget-me-not	5	4	3	4	16	L3
<i>Sparganium emersum</i> ssp. <i>emersum</i>	green-fruited bur-reed	3	3	5	4	15	L3
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Coptis trifolia</i>	goldthread	3	5	5	5	18	L2
<i>Circaea alpina</i>	smaller enchanter's nightshad	2	4	5	4	15	L3
<i>Trientalis borealis</i> ssp. <i>borealis</i>	star-flower	2	4	4	5	15	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Mitchella repens</i>	partridgeberry	2	4	4	5	15	L3
<i>Taxus canadensis</i>	Canada yew or ground hemlock	2	4	4	5	15	L3
<i>Taxus canadensis</i>	Canada yew or ground hemlock	2	4	4	5	15	L3
<i>Cystopteris tenuis</i>	Mackay's fragile fern	3	4	5	5	17	L2
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Abies balsamea</i>	balsam fir	2	3	4	5	14	L3
<i>Osmunda cinnamomea</i>	cinnamon fern	2	5	5	5	17	L2
<i>Coptis trifolia</i>	goldthread	3	5	5	5	18	L2
<i>Carex scabrata</i>	rough sedge	3	3	4	3	13	L3
<i>Circaea alpina</i>	smaller enchanter's nightshad	2	4	5	4	15	L3
<i>Equisetum sylvaticum</i>	woodland horsetail	3	3	5	4	15	L3
<i>Trientalis borealis</i> ssp. <i>borealis</i>	star-flower	2	4	4	5	15	L3
<i>Cornus canadensis</i>	bunchberry	3	5	5	5	18	L2
<i>Mitella nuda</i>	naked mitrewort	2	4	5	5	16	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Trientalis borealis</i> ssp. <i>borealis</i>	star-flower	2	4	4	5	15	L3
<i>Scirpus cyperinus</i>	woolly bulrush or wool-grass	2	3	4	5	14	L3
<i>Taxus canadensis</i>	Canada yew or ground hemlock	2	4	4	5	15	L3
<i>Mimulus ringens</i>	square-stemmed monkey-flower	5	2	3	4	14	L3
<i>Nymphaea odorata</i>	fragrant water lily	4	5	5	4	18	L2
<i>Spirodela polyrhiza</i>	greater duckweed	3	4	5	2	14	L3
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Equisetum sylvaticum</i>	woodland horsetail	3	3	5	4	15	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Mitella nuda</i>	naked mitrewort	2	4	5	5	16	L3
<i>Trientalis borealis</i> ssp. <i>borealis</i>	star-flower	2	4	4	5	15	L3
<i>Abies balsamea</i>	balsam fir	2	3	4	5	14	L3
<i>Circaea alpina</i>	smaller enchanter's nightshad	2	4	5	4	15	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Adiantum pedatum</i>	northern maidenhair fern	2	3	5	5	15	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Taxus canadensis</i>	Canada yew or ground hemlock	2	4	4	5	15	L3
<i>Ribes triste</i>	swamp red currant	3	4	4	5	16	L3
<i>Lonicera canadensis</i>	fly honeysuckle	3	4	3	4	14	L3
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Trientalis borealis</i> ssp. <i>borealis</i>	star-flower	2	4	4	5	15	L3
<i>Mitchella repens</i>	partridgeberry	2	4	4	5	15	L3
<i>Adiantum pedatum</i>	northern maidenhair fern	2	3	5	5	15	L3
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Abies balsamea</i>	balsam fir	2	3	4	5	14	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Trientalis borealis</i> ssp. <i>borealis</i>	star-flower	2	4	4	5	15	L3
<i>Circaea alpina</i>	smaller enchanter's nightshad	2	4	5	4	15	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Linnaea borealis</i> ssp. <i>longiflora</i>	twinflower	4	5	5	5	19	L1
<i>Clintonia borealis</i>	yellow clintonia or bluebead	2	5	4	5	16	L3
<i>Mitchella repens</i>	partridgeberry	2	4	4	5	15	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Coptis trifolia</i>	goldthread	3	5	5	5	18	L2
<i>Polygonatum pubescens</i>	downy Solomon's seal	2	4	5	5	16	L3
<i>Taxus canadensis</i>	Canada yew or ground hemlock	2	4	4	5	15	L3
<i>Mitella nuda</i>	naked mitrewort	2	4	5	5	16	L3
<i>Phegopteris connectilis</i>	northern or long beech fern	3	3	5	5	16	L3
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Huperzia lucidula</i>	shining club-moss	3	5	5	5	18	L2
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Osmunda cinnamomea</i>	cinnamon fern	2	5	5	5	17	L2
<i>Coptis trifolia</i>	goldthread	3	5	5	5	18	L2
<i>Clintonia borealis</i>	yellow clintonia or bluebead	2	5	4	5	16	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Taxus canadensis</i>	Canada yew or ground hemlock	2	4	4	5	15	L3
<i>Mitella nuda</i>	naked mitrewort	2	4	5	5	16	L3
<i>Coptis trifolia</i>	goldthread	3	5	5	5	18	L2
<i>Clintonia borealis</i>	yellow clintonia or bluebead	2	5	4	5	16	L3
<i>Carex laevivaginata</i>	smooth-sheathed sedge	2	4	4	4	14	L3
<i>Abies balsamea</i>	balsam fir	2	3	4	5	14	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Aquilegia canadensis</i>	wild columbine	2	4	3	5	14	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Anemone acutiloba</i>	sharp-lobed hepatica	2	4	4	5	15	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Juglans cinerea</i>	butternut	2	4	4	4	14	L3
<i>Pinus resinosa</i>	red pine	4	5	5	5	19	L1
<i>Myosotis laxa</i>	smaller forget-me-not	5	4	3	4	16	L3
<i>Pilea fontana</i>	spring clearweed	3	4	4	4	15	L3
<i>Myosotis laxa</i>	smaller forget-me-not	5	4	3	4	16	L3
<i>Nymphaea odorata</i>	fragrant water lily	4	5	5	4	18	L2
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Pinus resinosa</i>	red pine	4	5	5	5	19	L1
<i>Equisetum variegatum</i> ssp. <i>variegatum</i>	variegated scouring-rush	3	2	5	3	13	L4
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Salix petiolaris</i>	slender willow	3	3	5	3	14	L3
<i>Myosotis laxa</i>	smaller forget-me-not	5	4	3	4	16	L3
<i>Nymphaea odorata</i>	fragrant water lily	4	5	5	4	18	L2
<i>Equisetum variegatum</i> ssp. <i>variegatum</i>	variegated scouring-rush	3	2	5	3	13	L4
<i>Cicuta bulbifera</i>	bulblet-bearing water-hemlock	3	3	5	4	15	L3
<i>Myosotis laxa</i>	smaller forget-me-not	5	4	3	4	16	L3
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Hydrocotyle americana</i>	marsh pennywort	3	4	4	4	15	L3
<i>Myosotis laxa</i>	smaller forget-me-not	5	4	3	4	16	L3
<i>Cicuta bulbifera</i>	bulblet-bearing water-hemlock	3	3	5	4	15	L3
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Equisetum variegatum</i> ssp. <i>variegatum</i>	variegated scouring-rush	3	2	5	3	13	L4
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Nymphaea odorata</i>	fragrant water lily	4	5	5	4	18	L2
<i>Nuphar variegata</i>	bullhead lily or yellow water	3	4	5	3	15	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Equisetum fluviatile</i>	water horsetail	2	4	5	4	15	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Monotropa hypopithys</i>	pinemap	3	4	5	5	17	L2
<i>Pinus resinosa</i>	red pine	4	5	5	5	19	L1
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Equisetum variegatum</i> ssp. <i>variegatum</i>	variegated scouring-rush	3	2	5	3	13	L4
<i>Spirodela polyrhiza</i>	greater duckweed	3	4	5	2	14	L3
<i>Nymphaea odorata</i>	fragrant water lily	4	5	5	4	18	L2
<i>Ceratophyllum demersum</i>	coontail	3	4	5	4	16	L3
<i>Carex laevivaginata</i>	smooth-sheathed sedge	2	4	4	4	14	L3
<i>Pinus resinosa</i>	red pine	4	5	5	5	19	L1
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Allium tricoccum	wild leek or ramps	2	3	4	4	13	L3
Polystichum acrostichoides	Christmas fern	2	3	5	5	15	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Menispermum canadense	moonseed	3	4	4	3	14	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Schizachne purpurascens ssp. purpurascens	purple or false melic grass	3	3	3	5	14	L3
Lobelia siphilitica	great blue lobelia	3	3	4	4	14	L3
Myosotis laxa	smaller forget-me-not	5	4	3	4	16	L3
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Najas flexilis	bushy naiad	4	4	5	5	18	L2
Spirodela polyrhiza	greater duckweed	3	4	5	2	14	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Lobelia siphilitica	great blue lobelia	3	3	4	4	14	L3
Abies balsamea	balsam fir	2	3	4	5	14	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Circaea alpina	smaller enchanter's nightshad	2	4	5	4	15	L3
Equisetum variegatum ssp. variegatum	variegated scouring-rush	3	2	5	3	13	L4
Mimulus ringens	square-stemmed monkey-flower	5	2	3	4	14	L3
Potamogeton natans	floating pondweed	3	4	5	3	15	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Circaea alpina	smaller enchanter's nightshad	2	4	5	4	15	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Polystichum acrostichoides	Christmas fern	2	3	5	5	15	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Ludwigia palustris	water purslane	4	3	4	4	15	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Diplazium pycnocarpon</i>	glade fern	5	5	5	5	20	L1
<i>Lobelia siphilitica</i>	great blue lobelia	3	3	4	4	14	L3
<i>Chelone glabra</i>	turtlehead	3	3	4	4	14	L3
<i>Salix petiolaris</i>	slender willow	3	3	5	3	14	L3
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Phegopteris connectilis</i>	northern or long beech fern	3	3	5	5	16	L3
<i>Lobelia siphilitica</i>	great blue lobelia	3	3	4	4	14	L3
<i>Equisetum scirpoides</i>	dwarf scouring rush	2	4	5	5	16	L3
<i>Osmunda regalis</i> var. <i>spectabilis</i>	royal fern	3	5	5	5	18	L2
<i>Abies balsamea</i>	balsam fir	2	3	4	5	14	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Pyrola elliptica</i>	shinleaf	2	4	4	4	14	L3
<i>Trientalis borealis</i> ssp. <i>borealis</i>	star-flower	2	4	4	5	15	L3
<i>Schizachne purpurascens</i> ssp. <i>purpurascens</i>	purple or false melic grass	3	3	3	5	14	L3
<i>Circaea alpina</i>	smaller enchanter's nightshade	2	4	5	4	15	L3
<i>Ribes triste</i>	swamp red currant	3	4	4	5	16	L3
<i>Mitella nuda</i>	naked mitrewort	2	4	5	5	16	L3
<i>Pyrola asarifolia</i>	pink pyrola	4	4	5	5	18	L2
<i>Coptis trifolia</i>	goldthread	3	5	5	5	18	L2
<i>Clintonia borealis</i>	yellow clintonia or bluebead	2	5	4	5	16	L3
<i>Osmunda cinnamomea</i>	cinnamon fern	2	5	5	5	17	L2
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Equisetum scirpoides</i>	dwarf scouring rush	2	4	5	5	16	L3
<i>Trientalis borealis</i> ssp. <i>borealis</i>	star-flower	2	4	4	5	15	L3
<i>Linnaea borealis</i> ssp. <i>longiflora</i>	twinflower	4	5	5	5	19	L1
<i>Polygonatum pubescens</i>	downy Solomon's seal	2	4	5	5	16	L3
<i>Carex laevivaginata</i>	smooth-sheathed sedge	2	4	4	4	14	L3
<i>Najas flexilis</i>	bushy naiad	4	4	5	5	18	L2
<i>Equisetum variegatum</i> ssp. <i>variegatum</i>	variegated scouring-rush	3	2	5	3	13	L4
<i>Elodea canadensis</i>	common elodea or water-weed	3	3	5	3	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Potamogeton amplifolius	large-leaved pondweed	4	4	5	4	17	L2
Lobelia siphilitica	great blue lobelia	3	3	4	4	14	L3
Polygonum amphibium	water smartweed	2	4	4	4	14	L3
Pilea fontana	spring clearweed	3	4	4	4	15	L3
Lobelia siphilitica	great blue lobelia	3	3	4	4	14	L3
Ribes triste	swamp red currant	3	4	4	5	16	L3
Myosotis laxa	smaller forget-me-not	5	4	3	4	16	L3
Hydrocotyle americana	marsh pennywort	3	4	4	4	15	L3
Polystichum acrostichoides	Christmas fern	2	3	5	5	15	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Circaea alpina	smaller enchanter's nightshad	2	4	5	4	15	L3
Hydrocotyle americana	marsh pennywort	3	4	4	4	15	L3
Mitella nuda	naked mitrewort	2	4	5	5	16	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Myosotis laxa	smaller forget-me-not	5	4	3	4	16	L3
Adiantum pedatum	northern maidenhair fern	2	3	5	5	15	L3
Salix petiolaris	slender willow	3	3	5	3	14	L3
Polygonum amphibium	water smartweed	2	4	4	4	14	L3
Trientalis borealis ssp. borealis	star-flower	2	4	4	5	15	L3
Coptis trifolia	goldthread	3	5	5	5	18	L2
Circaea alpina	smaller enchanter's nightshad	2	4	5	4	15	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Equisetum scirpoides	dwarf scouring rush	2	4	5	5	16	L3
Carex laevivaginata	smooth-sheathed sedge	2	4	4	4	14	L3
Mitella nuda	naked mitrewort	2	4	5	5	16	L3
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Equisetum fluviatile	water horsetail	2	4	5	4	15	L3
Hydrocotyle americana	marsh pennywort	3	4	4	4	15	L3
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Circaea alpina	smaller enchanter's nightshad	2	4	5	4	15	L3
Coptis trifolia	goldthread	3	5	5	5	18	L2
Trientalis borealis ssp. borealis	star-flower	2	4	4	5	15	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Larix laricina</i>	tamarack	3	4	4	4	15	L3
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Osmunda regalis</i> var. <i>spectabilis</i>	royal fern	3	5	5	5	18	L2
<i>Mitella nuda</i>	naked mitrewort	2	4	5	5	16	L3
<i>Linnaea borealis</i> ssp. <i>longiflora</i>	twinflower	4	5	5	5	19	L1
<i>Carex laevivaginata</i>	smooth-sheathed sedge	2	4	4	4	14	L3
<i>Equisetum fluviatile</i>	water horsetail	2	4	5	4	15	L3
<i>Scirpus cyperinus</i>	woolly bulrush or wool-grass	2	3	4	5	14	L3
<i>Spirodela polyrhiza</i>	greater duckweed	3	4	5	2	14	L3
<i>Pilea fontana</i>	spring clearweed	3	4	4	4	15	L3
<i>Hydrocotyle americana</i>	marsh pennywort	3	4	4	4	15	L3
<i>Larix laricina</i>	tamarack	3	4	4	4	15	L3
<i>Salix petiolaris</i>	slender willow	3	3	5	3	14	L3
<i>Carex leptalea</i> ssp. <i>leptalea</i>	bristle-stalked sedge	3	3	5	4	15	L3
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Carex laevivaginata</i>	smooth-sheathed sedge	2	4	4	4	14	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Larix laricina</i>	tamarack	3	4	4	4	15	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Taxus canadensis</i>	Canada yew or ground hemlock	2	4	4	5	15	L3
<i>Equisetum scirpoides</i>	dwarf scouring rush	2	4	5	5	16	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Trientalis borealis</i> ssp. <i>borealis</i>	star-flower	2	4	4	5	15	L3
<i>Osmunda cinnamomea</i>	cinnamon fern	2	5	5	5	17	L2
<i>Osmunda regalis</i> var. <i>spectabilis</i>	royal fern	3	5	5	5	18	L2
<i>Carex leptalea</i> ssp. <i>leptalea</i>	bristle-stalked sedge	3	3	5	4	15	L3
<i>Monotropa hypopithys</i>	pinemap	3	4	5	5	17	L2
<i>Equisetum fluviatile</i>	water horsetail	2	4	5	4	15	L3
<i>Pinus resinosa</i>	red pine	4	5	5	5	19	L1
<i>Abies balsamea</i>	balsam fir	2	3	4	5	14	L3
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Najas flexilis</i>	bushy naiad	4	4	5	5	18	L2
<i>Circaea alpina</i>	smaller enchanter's nightshad	2	4	5	4	15	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Osmunda cinnamomea</i>	cinnamon fern	2	5	5	5	17	L2
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Aralia racemosa</i> ssp. <i>racemosa</i>	spikenard	3	4	4	3	14	L3
<i>Trientalis borealis</i> ssp. <i>borealis</i>	star-flower	2	4	4	5	15	L3
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Coptis trifolia</i>	goldthread	3	5	5	5	18	L2
<i>Clintonia borealis</i>	yellow clintonia or bluebead	2	5	4	5	16	L3
<i>Abies balsamea</i>	balsam fir	2	3	4	5	14	L3
<i>Hydrocotyle americana</i>	marsh pennywort	3	4	4	4	15	L3
<i>Mitella nuda</i>	naked mitrewort	2	4	5	5	16	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Larix laricina</i>	tamarack	3	4	4	4	15	L3
<i>Linnaea borealis</i> ssp. <i>longiflora</i>	twinflower	4	5	5	5	19	L1
<i>Osmunda cinnamomea</i>	cinnamon fern	2	5	5	5	17	L2
<i>Rudbeckia laciniata</i>	cut-leaved or green-headed co	4	2	3	2	11	L4
<i>Mitchella repens</i>	partridgeberry	2	4	4	5	15	L3
<i>Monotropa hypopithys</i>	pinemap	3	4	5	5	17	L2
<i>Monotropa uniflora</i>	Indian-pipe	2	4	5	5	16	L3
<i>Cypripedium reginae</i>	showy lady's slipper	3	4	5	5	17	L2
<i>Circaea alpina</i>	smaller enchanter's nightshad	2	4	5	4	15	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Trientalis borealis</i> ssp. <i>borealis</i>	star-flower	2	4	4	5	15	L3
<i>Carex laevivaginata</i>	smooth-sheathed sedge	2	4	4	4	14	L3
<i>Pilea fontana</i>	spring clearweed	3	4	4	4	15	L3
<i>Mitella nuda</i>	naked mitrewort	2	4	5	5	16	L3
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Coptis trifolia</i>	goldthread	3	5	5	5	18	L2
<i>Hydrocotyle americana</i>	marsh pennywort	3	4	4	4	15	L3
<i>Streptopus roseus</i>	rose twisted-stalk	2	4	4	5	15	L3
<i>Clintonia borealis</i>	yellow clintonia or bluebead	2	5	4	5	16	L3
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Phegopteris connectilis</i>	northern or long beech fern	3	3	5	5	16	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Aralia racemosa</i> ssp. <i>racemosa</i>	spikenard	3	4	4	3	14	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Streptopus roseus</i>	rose twisted-stalk	2	4	4	5	15	L3
<i>Osmunda cinnamomea</i>	cinnamon fern	2	5	5	5	17	L2
<i>Taxus canadensis</i>	Canada yew or ground hemlock	2	4	4	5	15	L3
<i>Botrychium virginianum</i>	rattlesnake fern	3	5	5	5	18	L2
<i>Mitchella repens</i>	partridgeberry	2	4	4	5	15	L3
<i>Mitella nuda</i>	naked mitrewort	2	4	5	5	16	L3
<i>Salix petiolaris</i>	slender willow	3	3	5	3	14	L3
<i>Monotropa hypopithys</i>	pinemap	3	4	5	5	17	L2
<i>Lobelia siphilitica</i>	great blue lobelia	3	3	4	4	14	L3
<i>Lilium michiganense</i>	Michigan or Turk's cap lily	3	4	3	5	15	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Monotropa hypopithys</i>	pinemap	3	4	5	5	17	L2
<i>Lobelia siphilitica</i>	great blue lobelia	3	3	4	4	14	L3
<i>Ceratophyllum demersum</i>	coontail	3	4	5	4	16	L3
<i>Cicuta bulbifera</i>	bulblet-bearing water-hemlock	3	3	5	4	15	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Wolffia columbiana</i>	columbia water-meal	3	4	5	2	14	L3
<i>Wolffia borealis</i>	northern or dotted water-meal	4	4	5	2	15	L3
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Salix lucida</i>	shining willow	2	4	5	3	14	L3
<i>Salix petiolaris</i>	slender willow	3	3	5	3	14	L3
<i>Pyrola elliptica</i>	shinleaf	2	4	4	4	14	L3
<i>Menispermum canadense</i>	moonseed	3	4	4	3	14	L3
<i>Taxus canadensis</i>	Canada yew or ground hemlock	2	4	4	5	15	L3
<i>Polystichum acrostichoides</i>	Christmas fern	2	3	5	5	15	L3
<i>Cystopteris tenuis</i>	Mackay's fragile fern	3	4	5	5	17	L2
<i>Carex plantaginea</i>	plantain-leaved sedge	3	4	5	4	16	L3
<i>Anemone acutiloba</i>	sharp-lobed hepatica	2	4	4	5	15	L3
<i>Aralia racemosa</i> ssp. <i>racemosa</i>	spikenard	3	4	4	3	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Ribes triste	swamp red currant	3	4	4	5	16	L3
Mitella nuda	naked mitrewort	2	4	5	5	16	L3
Adiantum pedatum	northern maidenhair fern	2	3	5	5	15	L3
Lobelia siphilitica	great blue lobelia	3	3	4	4	14	L3
Allium tricoccum	wild leek or ramps	2	3	4	4	13	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Mitella nuda	naked mitrewort	2	4	5	5	16	L3
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Lobelia siphilitica	great blue lobelia	3	3	4	4	14	L3
Hydrocotyle americana	marsh pennywort	3	4	4	4	15	L3
Rudbeckia laciniata	cut-leaved or green-headed co	4	2	3	2	11	L4
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Polystichum acrostichooides	Christmas fern	2	3	5	5	15	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Polygonatum pubescens	downy Solomon's seal	2	4	5	5	16	L3
Lobelia siphilitica	great blue lobelia	3	3	4	4	14	L3
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Lobelia siphilitica	great blue lobelia	3	3	4	4	14	L3
Chelone glabra	turtlehead	3	3	4	4	14	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Wolffia borealis	northern or dotted water-meal	4	4	5	2	15	L3
Spirodela polyrhiza	greater duckweed	3	4	5	2	14	L3
Elodea canadensis	common elodea or water-weed	3	3	5	3	14	L3
Ceratophyllum demersum	coontail	3	4	5	4	16	L3
Lilium michiganense	Michigan or Turk's cap lily	3	4	3	5	15	L3
Hypericum ascyron	great St. Johnswort	4	4	5	2	15	L3
Hypericum ascyron	great St. Johnswort	4	4	5	2	15	L3
Equisetum scirpoides	dwarf scouring rush	2	4	5	5	16	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Mitella nuda	naked mitrewort	2	4	5	5	16	L3
Lobelia siphilitica	great blue lobelia	3	3	4	4	14	L3
Chelone glabra	turtlehead	3	3	4	4	14	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Hydrocotyle americana	marsh pennywort	3	4	4	4	15	L3
Equisetum scirpoides	dwarf scouring rush	2	4	5	5	16	L3
Lobelia siphilitica	great blue lobelia	3	3	4	4	14	L3
Pilea fontana	spring clearweed	3	4	4	4	15	L3
Spirodela polyrhiza	greater duckweed	3	4	5	2	14	L3
Iris versicolor	blue flag	2	5	4	5	16	L3
Cicuta bulbifera	bulblet-bearing water-hemlock	3	3	5	4	15	L3
Spirodela polyrhiza	greater duckweed	3	4	5	2	14	L3
Nymphaea odorata	fragrant water lily	4	5	5	4	18	L2
Larix laricina	tamarack	3	4	4	4	15	L3
Lemna trisulca	star or ivy-leaved duckweed	3	4	5	3	15	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Pinus resinosa	red pine	4	5	5	5	19	L1
Spirodela polyrhiza	greater duckweed	3	4	5	2	14	L3
Pontederia cordata	pickerel-weed	5	5	5	4	19	L1
Elodea canadensis	common elodea or water-weed	3	3	5	3	14	L3
Ceratophyllum demersum	coontail	3	4	5	4	16	L3
Wolffia columbiana	columbia water-meal	3	4	5	2	14	L3
Spirodela polyrhiza	greater duckweed	3	4	5	2	14	L3
Wolffia borealis	northern or dotted water-meal	4	4	5	2	15	L3
Sparganium emersum ssp. emersum	green-fruited bur-reed	3	3	5	4	15	L3
Ceratophyllum demersum	coontail	3	4	5	4	16	L3
Elodea canadensis	common elodea or water-weed	3	3	5	3	14	L3
Spirodela polyrhiza	greater duckweed	3	4	5	2	14	L3
Pontederia cordata	pickerel-weed	5	5	5	4	19	L1
Picea glauca	white spruce	3	5	4	3	15	L3
Monotropa hypopithys	pinenap	3	4	5	5	17	L2
Potamogeton amplifolius	large-leaved pondweed	4	4	5	4	17	L2
Picea glauca	white spruce	3	5	4	3	15	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Elodea canadensis	common elodea or water-weed	3	3	5	3	14	L3
Potamogeton amplifolius	large-leaved pondweed	4	4	5	4	17	L2
Picea glauca	white spruce	3	5	4	3	15	L3
Pinus resinosa	red pine	4	5	5	5	19	L1
Potamogeton amplifolius	large-leaved pondweed	4	4	5	4	17	L2
Carex utriculata	beaked or bottle-shaped sedge	3	3	5	4	15	L3
Epilobium leptophyllum	narrow-leaved willow-herb	3	5	4	4	16	L3
Liparis loeselii	fen or Loesel's twayblade	3	3	5	5	16	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Bidens vulgatus	tall beggar's-ticks	4	2	4	4	14	L3
Bidens vulgatus	tall beggar's-ticks	4	2	4	4	14	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Salix petiolaris	slender willow	3	3	5	3	14	L3
Myosotis laxa	smaller forget-me-not	5	4	3	4	16	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Chelone glabra	turtlehead	3	3	4	4	14	L3
Cicuta bulbifera	bulblet-bearing water-hemlock	3	3	5	4	15	L3
Ceratophyllum demersum	coontail	3	4	5	4	16	L3
Elodea canadensis	common elodea or water-weed	3	3	5	3	14	L3
Spirodela polyrhiza	greater duckweed	3	4	5	2	14	L3
Lobelia siphilitica	great blue lobelia	3	3	4	4	14	L3
Pinus resinosa	red pine	4	5	5	5	19	L1
Pilea fontana	spring clearweed	3	4	4	4	15	L3
Spirodela polyrhiza	greater duckweed	3	4	5	2	14	L3
Wolffia borealis	northern or dotted water-meal	4	4	5	2	15	L3
Wolffia columbiana	columbia water-meal	3	4	5	2	14	L3
Ceratophyllum demersum	coontail	3	4	5	4	16	L3
Elodea canadensis	common elodea or water-weed	3	3	5	3	14	L3
Pinus resinosa	red pine	4	5	5	5	19	L1
Equisetum fluviatile	water horsetail	2	4	5	4	15	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Picea glauca	white spruce	3	5	4	3	15	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Lilium michiganense	Michigan or Turk's cap lily	3	4	3	5	15	L3
Salix petiolaris	slender willow	3	3	5	3	14	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Ceratophyllum demersum	coontail	3	4	5	4	16	L3
Elodea canadensis	common elodea or water-weed	3	3	5	3	14	L3
Sparganium eurycarpum	giant or great bur-reed	3	4	5	4	16	L3
Larix laricina	tamarack	3	4	4	4	15	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Dirca palustris	leatherwood	3	4	5	4	16	L3
Schizachne purpurascens ssp. purpurascens	purple or false melic grass	3	3	3	5	14	L3
Pinus resinosa	red pine	4	5	5	5	19	L1
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Chelone glabra	turtlehead	3	3	4	4	14	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Mimulus ringens	square-stemmed monkey-flower	5	2	3	4	14	L3
Carex molesta	troublesome sedge	4	3	4	3	14	L3
Chrysosplenium americanum	golden saxifrage	3	3	5	4	15	L3
Epilobium leptophyllum	narrow-leaved willow-herb	3	5	4	4	16	L3
Cinna latifolia	nodding wood reed	3	3	5	3	14	L3
Ribes triste	swamp red currant	3	4	4	5	16	L3
Sparganium emersum ssp. emersum	green-fruited bur-reed	3	3	5	4	15	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Chelone glabra	turtlehead	3	3	4	4	14	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Chelone glabra	turtlehead	3	3	4	4	14	L3
Lobelia siphilitica	great blue lobelia	3	3	4	4	14	L3
Picea glauca	white spruce	3	5	4	3	15	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Lobelia siphilitica</i>	great blue lobelia	3	3	4	4	14	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Pilea fontana</i>	spring clearweed	3	4	4	4	15	L3
<i>Cicuta bulbifera</i>	bulblet-bearing water-hemlock	3	3	5	4	15	L3
<i>Salix petiolaris</i>	slender willow	3	3	5	3	14	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Ceratophyllum demersum</i>	coontail	3	4	5	4	16	L3
<i>Cicuta bulbifera</i>	bulblet-bearing water-hemlock	3	3	5	4	15	L3
<i>Elodea canadensis</i>	common elodea or water-weed	3	3	5	3	14	L3
<i>Equisetum fluviatile</i>	water horsetail	2	4	5	4	15	L3
<i>Chrysosplenium americanum</i>	golden saxifrage	3	3	5	4	15	L3
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Larix laricina</i>	tamarack	3	4	4	4	15	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Equisetum fluviatile</i>	water horsetail	2	4	5	4	15	L3
<i>Larix laricina</i>	tamarack	3	4	4	4	15	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Abies balsamea</i>	balsam fir	2	3	4	5	14	L3
<i>Equisetum fluviatile</i>	water horsetail	2	4	5	4	15	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Clintonia borealis</i>	yellow clintonia or bluebead	2	5	4	5	16	L3
<i>Equisetum scirpoides</i>	dwarf scouring rush	2	4	5	5	16	L3
<i>Trientalis borealis</i> ssp. <i>borealis</i>	star-flower	2	4	4	5	15	L3
<i>Coptis trifolia</i>	goldthread	3	5	5	5	18	L2
<i>Osmunda regalis</i> var. <i>spectabilis</i>	royal fern	3	5	5	5	18	L2
<i>Osmunda cinnamomea</i>	cinnamon fern	2	5	5	5	17	L2
<i>Abies balsamea</i>	balsam fir	2	3	4	5	14	L3
<i>Larix laricina</i>	tamarack	3	4	4	4	15	L3
<i>Pinus resinosa</i>	red pine	4	5	5	5	19	L1
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Abies balsamea</i>	balsam fir	2	3	4	5	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Bidens vulgatus</i>	tall beggar's-ticks	4	2	4	4	14	L3
<i>Salix petiolaris</i>	slender willow	3	3	5	3	14	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Juglans cinerea</i>	butternut	2	4	4	4	14	L3
<i>Equisetum sylvaticum</i>	woodland horsetail	3	3	5	4	15	L3
<i>Pinus resinosa</i>	red pine	4	5	5	5	19	L1
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Osmunda cinnamomea</i>	cinnamon fern	2	5	5	5	17	L2
<i>Lobelia inflata</i>	Indian tobacco	4	4	4	4	16	L3
<i>Osmunda regalis</i> var. <i>spectabilis</i>	royal fern	3	5	5	5	18	L2
<i>Trientalis borealis</i> ssp. <i>borealis</i>	star-flower	2	4	4	5	15	L3
<i>Mitella nuda</i>	naked mitrewort	2	4	5	5	16	L3
<i>Carex leptalea</i> ssp. <i>leptalea</i>	bristle-stalked sedge	3	3	5	4	15	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Polygonatum pubescens</i>	downy Solomon's seal	2	4	5	5	16	L3
<i>Coptis trifolia</i>	goldthread	3	5	5	5	18	L2
<i>Mitella nuda</i>	naked mitrewort	2	4	5	5	16	L3
<i>Osmunda cinnamomea</i>	cinnamon fern	2	5	5	5	17	L2
<i>Ribes triste</i>	swamp red currant	3	4	4	5	16	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Pinus resinosa</i>	red pine	4	5	5	5	19	L1
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Anemone acutiloba</i>	sharp-lobed hepatica	2	4	4	5	15	L3
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3
<i>Polystichum acrostichoides</i>	Christmas fern	2	3	5	5	15	L3
<i>Polygonatum pubescens</i>	downy Solomon's seal	2	4	5	5	16	L3
<i>Adiantum pedatum</i>	northern maidenhair fern	2	3	5	5	15	L3
<i>Cinna latifolia</i>	nodding wood reed	3	3	5	3	14	L3
<i>Lobelia inflata</i>	Indian tobacco	4	4	4	4	16	L3
<i>Chrysosplenium americanum</i>	golden saxifrage	3	3	5	4	15	L3
<i>Rudbeckia laciniata</i>	cut-leaved or green-headed co	4	2	3	2	11	L4
<i>Platanthera hyperborea</i>	northern or tall green orchis	3	4	5	5	17	L2
<i>Cypripedium reginae</i>	showy lady's slipper	3	4	5	5	17	L2

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Pilea fontana</i>	spring clearweed	3	4	4	4	15	L3
<i>Carex scabrata</i>	rough sedge	3	3	4	3	13	L3
<i>Spartanium emersum</i> ssp. <i>emersum</i>	green-fruited bur-reed	3	3	5	4	15	L3
<i>Pontederia cordata</i>	pickerel-weed	5	5	5	4	19	L1
<i>Chrysosplenium americanum</i>	golden saxifrage	3	3	5	4	15	L3
<i>Carex scabrata</i>	rough sedge	3	3	4	3	13	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Carex pseudo-cyperus</i>	pseudocyperus sedge	1	3	3	4	11	L4
<i>Geranium maculatum</i>	wild geranium or spotted cran	2	3	4	3	12	L4
<i>Dicentra cucullaria</i>	Dutchman's breeches	3	4	5	5	17	L2
<i>Dicentra cucullaria</i>	Dutchman's breeches	3	4	5	5	17	L2
<i>Euonymus obovata</i>	running strawberry-bush	3	4	4	4	15	L3
<i>Claytonia virginica</i>	narrow-leaved spring beauty	3	4	4	4	15	L3
<i>Polygala paucifolia</i>	fringed polygala or gaywings	3	5	4	5	17	L2
<i>Chelone glabra</i>	turtlehead	3	3	4	4	14	L3
<i>Ribes triste</i>	swamp red currant	3	4	4	5	16	L3
<i>Schizachne purpurascens</i> ssp. <i>purpurascens</i>	purple or false melic grass	3	3	3	5	14	L3
<i>Carex interior</i>	inland or prairie star sedge	3	2	5	4	14	L3
<i>Carex laevivaginata</i>	smooth-sheathed sedge	2	4	4	4	14	L3
<i>Carex leptalea</i> ssp. <i>leptalea</i>	bristle-stalked sedge	3	3	5	4	15	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Osmunda cinnamomea</i>	cinnamon fern	2	5	5	5	17	L2
<i>Myosotis laxa</i>	smaller forget-me-not	5	4	3	4	16	L3
<i>Salix petiolaris</i>	slender willow	3	3	5	3	14	L3
<i>Nymphaea odorata</i>	fragrant water lily	4	5	5	4	18	L2
<i>Sphenopholis intermedia</i>	slender wedge grass	4	2	4	4	14	L3
<i>Salix petiolaris</i>	slender willow	3	3	5	3	14	L3
<i>Salix petiolaris</i>	slender willow	3	3	5	3	14	L3
<i>Myosotis laxa</i>	smaller forget-me-not	5	4	3	4	16	L3
<i>Utricularia vulgaris</i>	common bladderwort	4	5	5	5	19	L1
<i>Vallisneria americana</i>	tape-grass or water celery	4	5	5	5	19	L1
<i>Sphenopholis intermedia</i>	slender wedge grass	4	2	4	4	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Pinus resinosa	red pine	4	5	5	5	19	L1
Veronica americana	American speedwell or brookli	3	3	4	4	14	L3
Carex scabrata	rough sedge	3	3	4	3	13	L3
Solidago patula	rough-leaved goldenrod	4	3	4	3	14	L3
Carex leptalea ssp. leptalea	bristle-stalked sedge	3	3	5	4	15	L3
Juncus nodosus	knotted rush	3	2	5	3	13	L4
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Dryopteris cristata	crested wood fern	2	4	4	4	14	L3
Polygonum amphibium	water smartweed	2	4	4	4	14	L3
Carex utriculata	beaked or bottle-shaped sedge	3	3	5	4	15	L3
Juncus nodosus	knotted rush	3	2	5	3	13	L4
Carex molesta	troublesome sedge	4	3	4	3	14	L3
Milium effusum	wood millet	4	5	5	3	17	L2
Carex utriculata	beaked or bottle-shaped sedge	3	3	5	4	15	L3
Carex alopecoidea	foxtail or brown-headed wood	3	3	4	4	14	L3
Salix petiolaris	slender willow	3	3	5	3	14	L3
Carex scabrata	rough sedge	3	3	4	3	13	L3
Carex alopecoidea	foxtail or brown-headed wood	3	3	4	4	14	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Lobelia siphilitica	great blue lobelia	3	3	4	4	14	L3
Carex trichocarpa	hairy-fruited sedge	4	3	5	3	15	L3
Carex trichocarpa	hairy-fruited sedge	4	3	5	3	15	L3
Pinus resinosa	red pine	4	5	5	5	19	L1
Carex trichocarpa	hairy-fruited sedge	4	3	5	3	15	L3
Equisetum variegatum ssp. variegatum	variegated scouring-rush	3	2	5	3	13	L4
Spirodela polyrhiza	greater duckweed	3	4	5	2	14	L3
Pinus resinosa	red pine	4	5	5	5	19	L1
Salix petiolaris	slender willow	3	3	5	3	14	L3
Pinus resinosa	red pine	4	5	5	5	19	L1
Picea glauca	white spruce	3	5	4	3	15	L3
Spirodela polyrhiza	greater duckweed	3	4	5	2	14	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Cystopteris tenuis	Mackay's fragile fern	3	4	5	5	17	L2

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Polygonatum pubescens	downy Solomon's seal	2	4	5	5	16	L3
Allium tricoccum	wild leek or ramps	2	3	4	4	13	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Carya ovata	shagbark hickory	3	4	4	4	15	L3
Polygonatum pubescens	downy Solomon's seal	2	4	5	5	16	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Carex hitchcockiana	Hitchcock's sedge	4	3	5	3	15	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Allium tricoccum	wild leek or ramps	2	3	4	4	13	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Polygonatum pubescens	downy Solomon's seal	2	4	5	5	16	L3
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Allium tricoccum	wild leek or ramps	2	3	4	4	13	L3
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Polygonatum pubescens	downy Solomon's seal	2	4	5	5	16	L3
Uvularia grandiflora	large-flowered bellwort	2	4	5	5	16	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Polystichum acrostichoides	Christmas fern	2	3	5	5	15	L3
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Allium tricoccum	wild leek or ramps	2	3	4	4	13	L3
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Allium tricoccum	wild leek or ramps	2	3	4	4	13	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Polystichum acrostichoides	Christmas fern	2	3	5	5	15	L3
Carex hirtifolia	pubescent or hairy-leaved sed	3	3	5	3	14	L3
Polygonatum pubescens	downy Solomon's seal	2	4	5	5	16	L3
Polygonatum pubescens	downy Solomon's seal	2	4	5	5	16	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Carex hirtifolia	pubescent or hairy-leaved sed	3	3	5	3	14	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Carex hirtifolia	pubescent or hairy-leaved sed	3	3	5	3	14	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Lobelia siphilitica	great blue lobelia	3	3	4	4	14	L3
Chelone glabra	turtlehead	3	3	4	4	14	L3
Picea glauca	white spruce	3	5	4	3	15	L3
Salix nigra	black willow	4	2	5	4	15	L3
Salix petiolaris	slender willow	3	3	5	3	14	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Polygonatum pubescens	downy Solomon's seal	2	4	5	5	16	L3
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Allium tricoccum	wild leek or ramps	2	3	4	4	13	L3
Pinus resinosa	red pine	4	5	5	5	19	L1
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Polygonatum pubescens	downy Solomon's seal	2	4	5	5	16	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Allium tricoccum	wild leek or ramps	2	3	4	4	13	L3
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Allium tricoccum	wild leek or ramps	2	3	4	4	13	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Carex hirtifolia	pubescent or hairy-leaved sed	3	3	5	3	14	L3
Salix petiolaris	slender willow	3	3	5	3	14	L3
Chelone glabra	turtlehead	3	3	4	4	14	L3
Lobelia cardinalis	cardinal flower	5	5	4	5	19	L1
Carex cephalophora	oval-headed sedge	5	2	5	3	15	L3
Mimulus ringens	square-stemmed monkey-flower	5	2	3	4	14	L3
Aster umbellatus var. umbellatus	flat-topped aster	4	2	3	3	12	L4
Aster umbellatus var. umbellatus	flat-topped aster	4	2	3	3	12	L4

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Pinus strobus</i>	white pine	1	4	3	4	12	L4
<i>Thuja occidentalis</i>	white cedar	1	4	1	5	11	L4
<i>Quercus rubra</i>	red oak	1	4	2	4	11	L4
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Allium tricoccum</i>	wild leek or ramps	2	3	4	4	13	L3
<i>Carex hirtifolia</i>	pubescent or hairy-leaved sedge	3	3	5	3	14	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Taxus canadensis</i>	Canada yew or ground hemlock	2	4	4	5	15	L3
<i>Carex communis</i>	fibrous-rooted sedge	2	4	3	3	12	L4
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Anemone acutiloba</i>	sharp-lobed hepatica	2	4	4	5	15	L3
<i>Allium tricoccum</i>	wild leek or ramps	2	3	4	4	13	L3
<i>Apocynum androsaemifolium</i>	spreading dogbane	5	3	2	3	13	L4
<i>Polystichum acrostichoides</i>	Christmas fern	2	3	5	5	15	L3
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Menispermum canadense</i>	moonseed	3	4	4	3	14	L3
<i>Ribes triste</i>	swamp red currant	3	4	4	5	16	L3
<i>Allium tricoccum</i>	wild leek or ramps	2	3	4	4	13	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Carex lupulina</i>	hop sedge	2	4	4	4	14	L3
<i>Carex tuckermanii</i>	Tuckerman's sedge	3	4	4	4	15	L3
<i>Leersia virginica</i>	white grass	3	2	5	3	13	L4
<i>Viola selkirkii</i>	Selkirk's or spurred violet	3	3	4	3	13	L4
<i>Anemone quinquefolia</i> var. <i>quinquefolia</i>	wood-anemone	3	4	4	5	16	L3
<i>Milium effusum</i>	wood millet	4	5	5	3	17	L2
<i>Juglans cinerea</i>	butternut	2	4	4	4	14	L3
<i>Iris versicolor</i>	blue flag	2	5	4	5	16	L3
<i>Anemone quinquefolia</i> var. <i>quinquefolia</i>	wood-anemone	3	4	4	5	16	L3
<i>Claytonia virginica</i>	narrow-leaved spring beauty	3	4	4	4	15	L3
<i>Claytonia virginica</i>	narrow-leaved spring beauty	3	4	4	4	15	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Claytonia virginica	narrow-leaved spring beauty	3	4	4	4	15	L3
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Claytonia virginica	narrow-leaved spring beauty	3	4	4	4	15	L3
Uvularia grandiflora	large-flowered bellwort	2	4	5	5	16	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Uvularia grandiflora	large-flowered bellwort	2	4	5	5	16	L3
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Polystichum acrostichooides	Christmas fern	2	3	5	5	15	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Claytonia virginica	narrow-leaved spring beauty	3	4	4	4	15	L3
Claytonia virginica	narrow-leaved spring beauty	3	4	4	4	15	L3
Claytonia virginica	narrow-leaved spring beauty	3	4	4	4	15	L3
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Claytonia virginica	narrow-leaved spring beauty	3	4	4	4	15	L3
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Polystichum acrostichooides	Christmas fern	2	3	5	5	15	L3
Oryzopsis asperifolia	white-fruited or rough-leaved	2	4	4	5	15	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Cardamine concatenata	cut-leaved toothwort	2	3	5	4	14	L3
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Hydrocotyle americana	marsh pennywort	3	4	4	4	15	L3
Trientalis borealis ssp. borealis	star-flower	2	4	4	5	15	L3
Hydrocotyle americana	marsh pennywort	3	4	4	4	15	L3
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Juglans cinerea	butternut	2	4	4	4	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Polystichum acrostichoides	Christmas fern	2	3	5	5	15	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Polystichum acrostichoides	Christmas fern	2	3	5	5	15	L3
Hypericum ascyron	great St.Johnswort	4	4	5	2	15	L3
Polygonum amphibium	water smartweed	2	4	4	4	14	L3
Anemone quinquefolia var. quinquefolia	wood-anemone	3	4	4	5	16	L3
Equisetum variegatum ssp. variegatum	variegated scouring-rush	3	2	5	3	13	L4
Anemone quinquefolia var. quinquefolia	wood-anemone	3	4	4	5	16	L3
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Iris versicolor	blue flag	2	5	4	5	16	L3
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Angelica atropurpurea	angelica	4	3	4	3	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Chrysosplenium americanum	golden saxifrage	3	3	5	4	15	L3
Carex plantaginea	plantain-leaved sedge	3	4	5	4	16	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Elodea canadensis	common elodea or water-weed	3	3	5	3	14	L3
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Iris versicolor	blue flag	2	5	4	5	16	L3
Taxus canadensis	Canada yew or ground hemlock	2	4	4	5	15	L3
Iris versicolor	blue flag	2	5	4	5	16	L3
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Iris versicolor	blue flag	2	5	4	5	16	L3
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Potamogeton foliosus	leafy pondweed	3	3	5	4	15	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Poa satuens	two-rayed poa or bushy pastur	4	3	5	3	15	L3
Iris versicolor	blue flag	2	5	4	5	16	L3
Potamogeton foliosus	leafy pondweed	3	3	5	4	15	L3
Streptopus roseus	rose twisted-stalk	2	4	4	5	15	L3
Oryzopsis asperifolia	white-fruited or rough-leaved	2	4	4	5	15	L3
Carex plantaginea	plantain-leaved sedge	3	4	5	4	16	L3
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Potamogeton foliosus	leafy pondweed	3	3	5	4	15	L3
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Iris versicolor	blue flag	2	5	4	5	16	L3
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Iris versicolor	blue flag	2	5	4	5	16	L3
Angelica atropurpurea	angelica	4	3	4	3	14	L3
Potamogeton foliosus	leafy pondweed	3	3	5	4	15	L3
Iris versicolor	blue flag	2	5	4	5	16	L3
Angelica atropurpurea	angelica	4	3	4	3	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Elodea canadensis</i>	common elodea or water-weed	3	3	5	3	14	L3
<i>Angelica atropurpurea</i>	angelica	4	3	4	3	14	L3
<i>Iris versicolor</i>	blue flag	2	5	4	5	16	L3
<i>Streptopus roseus</i>	rose twisted-stalk	2	4	4	5	15	L3
<i>Potamogeton illinoensis</i>	Illinois pondweed	5	4	5	4	18	L2
<i>Carex amphibola</i>	grey sedge	5	2	4	3	14	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Streptopus roseus</i>	rose twisted-stalk	2	4	4	5	15	L3
<i>Polygonatum pubescens</i>	downy Solomon's seal	2	4	5	5	16	L3
<i>Oryzopsis asperifolia</i>	white-fruited or rough-leaved	2	4	4	5	15	L3
<i>Polystichum acrostichoides</i>	Christmas fern	2	3	5	5	15	L3
<i>Clintonia borealis</i>	yellow clintonia or bluebead	2	5	4	5	16	L3
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Clintonia borealis</i>	yellow clintonia or bluebead	2	5	4	5	16	L3
<i>Huperzia lucidula</i>	shining club-moss	3	5	5	5	18	L2
<i>Oryzopsis asperifolia</i>	white-fruited or rough-leaved	2	4	4	5	15	L3
<i>Pyrola elliptica</i>	shinleaf	2	4	4	4	14	L3
<i>Streptopus roseus</i>	rose twisted-stalk	2	4	4	5	15	L3
<i>Viola blanda</i>	sweet white violet	3	4	4	3	14	L3
<i>Clintonia borealis</i>	yellow clintonia or bluebead	2	5	4	5	16	L3
<i>Polygonatum pubescens</i>	downy Solomon's seal	2	4	5	5	16	L3
<i>Osmorhiza claytonii</i>	woolly sweet cicely	3	4	4	4	15	L3
<i>Claytonia virginica</i>	narrow-leaved spring beauty	3	4	4	4	15	L3
<i>Polygala paucifolia</i>	fringed polygala or gaywings	3	5	4	5	17	L2
<i>Viola rostrata</i>	long-spurred violet	3	4	4	3	14	L3
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Lonicera canadensis</i>	fly honeysuckle	3	4	3	4	14	L3
<i>Oryzopsis asperifolia</i>	white-fruited or rough-leaved	2	4	4	5	15	L3
<i>Lonicera dioica</i>	wild or glaucous honeysuckle	2	4	4	4	14	L3
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Streptopus roseus</i>	rose twisted-stalk	2	4	4	5	15	L3
<i>Pyrola elliptica</i>	shinleaf	2	4	4	4	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Huperzia lucidula</i>	shining club-moss	3	5	5	5	18	L2
<i>Clintonia borealis</i>	yellow clintonia or bluebead	2	5	4	5	16	L3
<i>Equisetum scirpoides</i>	dwarf scouring rush	2	4	5	5	16	L3
<i>Mitchella repens</i>	partridgeberry	2	4	4	5	15	L3
<i>Gaultheria procumbens</i>	wintergreen	3	5	4	5	17	L2
<i>Lycopodium dendroideum</i>	round-branched ground-pine	3	5	5	5	18	L2
<i>Trientalis borealis ssp. borealis</i>	star-flower	2	4	4	5	15	L3
<i>Polygonatum pubescens</i>	downy Solomon's seal	2	4	5	5	16	L3
<i>Allium tricoccum</i>	wild leek or ramps	2	3	4	4	13	L3
<i>Osmorhiza claytonii</i>	woolly sweet cicely	3	4	4	4	15	L3
<i>Lycopodium dendroideum</i>	round-branched ground-pine	3	5	5	5	18	L2
<i>Huperzia lucidula</i>	shining club-moss	3	5	5	5	18	L2
<i>Streptopus roseus</i>	rose twisted-stalk	2	4	4	5	15	L3
<i>Oryzopsis asperifolia</i>	white-fruited or rough-leaved	2	4	4	5	15	L3
<i>Lonicera canadensis</i>	fly honeysuckle	3	4	3	4	14	L3
<i>Mitchella repens</i>	partridgeberry	2	4	4	5	15	L3
<i>Monotropa uniflora</i>	Indian-pipe	2	4	5	5	16	L3
<i>Polygonatum pubescens</i>	downy Solomon's seal	2	4	5	5	16	L3
<i>Pyrrola elliptica</i>	shinleaf	2	4	4	4	14	L3
<i>Hamamelis virginiana</i>	witch-hazel	2	4	4	4	14	L3
<i>Aquilegia canadensis</i>	wild columbine	2	4	3	5	14	L3
<i>Polystichum acrostichoides</i>	Christmas fern	2	3	5	5	15	L3
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Huperzia lucidula</i>	shining club-moss	3	5	5	5	18	L2
<i>Viola rostrata</i>	long-spurred violet	3	4	4	3	14	L3
<i>Osmorhiza claytonii</i>	woolly sweet cicely	3	4	4	4	15	L3
<i>Viola blanda</i>	sweet white violet	3	4	4	3	14	L3
<i>Trientalis borealis ssp. borealis</i>	star-flower	2	4	4	5	15	L3
<i>Aquilegia canadensis</i>	wild columbine	2	4	3	5	14	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Oryzopsis asperifolia</i>	white-fruited or rough-leaved	2	4	4	5	15	L3
<i>Pyrrola elliptica</i>	shinleaf	2	4	4	4	14	L3
<i>Viola rostrata</i>	long-spurred violet	3	4	4	3	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Polygonatum pubescens</i>	downy Solomon's seal	2	4	5	5	16	L3
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Polygonatum pubescens</i>	downy Solomon's seal	2	4	5	5	16	L3
<i>Polystichum acrostichoides</i>	Christmas fern	2	3	5	5	15	L3
<i>Streptopus roseus</i>	rose twisted-stalk	2	4	4	5	15	L3
<i>Viola rostrata</i>	long-spurred violet	3	4	4	3	14	L3
<i>Viola rostrata</i>	long-spurred violet	3	4	4	3	14	L3
<i>Viola rostrata</i>	long-spurred violet	3	4	4	3	14	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Polystichum acrostichoides</i>	Christmas fern	2	3	5	5	15	L3
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Streptopus roseus</i>	rose twisted-stalk	2	4	4	5	15	L3
<i>Viola rostrata</i>	long-spurred violet	3	4	4	3	14	L3
<i>Polygonatum pubescens</i>	downy Solomon's seal	2	4	5	5	16	L3
<i>Anemone acutiloba</i>	sharp-lobed hepatica	2	4	4	5	15	L3
<i>Pinus resinosa</i>	red pine	4	5	5	5	19	L1
<i>Lonicera canadensis</i>	fly honeysuckle	3	4	3	4	14	L3
<i>Viola blanda</i>	sweet white violet	3	4	4	3	14	L3
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Clintonia borealis</i>	yellow clintonia or bluebead	2	5	4	5	16	L3
<i>Trientalis borealis ssp. borealis</i>	star-flower	2	4	4	5	15	L3
<i>Pyrola elliptica</i>	shinleaf	2	4	4	4	14	L3
<i>Mitchella repens</i>	partridgeberry	2	4	4	5	15	L3
<i>Lonicera canadensis</i>	fly honeysuckle	3	4	3	4	14	L3
<i>Gaultheria procumbens</i>	wintergreen	3	5	4	5	17	L2
<i>Polygonatum pubescens</i>	downy Solomon's seal	2	4	5	5	16	L3
<i>Pyrola elliptica</i>	shinleaf	2	4	4	4	14	L3
<i>Aquilegia canadensis</i>	wild columbine	2	4	3	5	14	L3
<i>Oryzopsis asperifolia</i>	white-fruited or rough-leaved	2	4	4	5	15	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Mitchella repens</i>	partridgeberry	2	4	4	5	15	L3

Flora Species found in the Rouge River Watershed									
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK		
<i>Gaultheria procumbens</i>	wintergreen	3	5	4	5	17	L2		
<i>Monotropa uniflora</i>	Indian-pipe	2	4	5	5	16	L3		
<i>Viburnum cassinoides</i>	with-e-rod or wild raisin	4	4	5	4	17	L2		
<i>Clintonia borealis</i>	yellow clintonia or bluebead	2	5	4	5	16	L3		
<i>Chimaphila umbellata ssp. cisatlantica</i>	pipsissewa	4	4	5	5	18	L2		
<i>Mitchella repens</i>	partridgeberry	2	4	4	5	15	L3		
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3		
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3		
<i>Lycopodium dendroïdium</i>	round-branched ground-pine	3	5	5	5	18	L2		
<i>Polygala paucifolia</i>	fringed polygala or gaywings	3	5	4	5	17	L2		
<i>Streptopus roseus</i>	rose twisted-stalk	2	4	4	5	15	L3		
<i>Huperzia lucidula</i>	shining club-moss	3	5	5	5	18	L2		
<i>Medeola virginiana</i>	Indian cucumber-root	3	5	4	5	17	L2		
<i>Gymnocarpium dryopteris</i>	oak fern	2	3	5	5	15	L3		
<i>Viburnum lantanoides</i>	hobblebush	5	4	5	5	19	L1		
<i>Viola canadensis</i>	Canada violet	3	4	4	4	15	L3		
<i>Polygonatum pubescens</i>	downy Solomon's seal	2	4	5	5	16	L3		
<i>Viola rostrata</i>	long-spurred violet	3	4	4	3	14	L3		
<i>Lonicera canadensis</i>	fly honeysuckle	3	4	3	4	14	L3		
<i>Polygala paucifolia</i>	fringed polygala or gaywings	3	5	4	5	17	L2		
<i>Monotropa uniflora</i>	Indian-pipe	2	4	5	5	16	L3		
<i>Lonicera dioica</i>	wild or glaucous honeysuckle	2	4	4	4	14	L3		
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3		
<i>Lonicera canadensis</i>	fly honeysuckle	3	4	3	4	14	L3		
<i>Hamamelis virginiana</i>	witch-hazel	2	4	4	4	14	L3		
<i>Mitchella repens</i>	partridgeberry	2	4	4	5	15	L3		
<i>Gaultheria procumbens</i>	wintergreen	3	5	4	5	17	L2		
<i>Polygonatum pubescens</i>	downy Solomon's seal	2	4	5	5	16	L3		
<i>Polygala paucifolia</i>	fringed polygala or gaywings	3	5	4	5	17	L2		
<i>Pyrola elliptica</i>	shinleaf	2	4	4	4	14	L3		
<i>Chimaphila umbellata ssp. cisatlantica</i>	pipsissewa	4	4	5	5	18	L2		
<i>Pinus resinosa</i>	red pine	4	5	5	5	19	L1		
<i>Oryzopsis asperifolia</i>	white-fruited or rough-leaved	2	4	4	5	15	L3		

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Aquilegia canadensis</i>	wild columbine	2	4	3	5	14	L3
<i>Cornus rugosa</i>	round-leaved dogwood	3	4	4	3	14	L3
<i>Lycopodium dendroïdium</i>	round-branched ground-pine	3	5	5	5	18	L2
<i>Monotropa uniflora</i>	Indian-pipe	2	4	5	5	16	L3
<i>Chimaphila umbellata ssp. cisatlantica</i>	pipsissewa	4	4	5	5	18	L2
<i>Polygala paucifolia</i>	fringed polygala or gaywings	3	5	4	5	17	L2
<i>Lycopodium dendroïdium</i>	round-branched ground-pine	3	5	5	5	18	L2
<i>Monotropa hypopithys</i>	pinemap	3	4	5	5	17	L2
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Gaultheria procumbens</i>	wintergreen	3	5	4	5	17	L2
<i>Pinus resinosa</i>	red pine	4	5	5	5	19	L1
<i>Aquilegia canadensis</i>	wild columbine	2	4	3	5	14	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Mitchella repens</i>	partridgeberry	2	4	4	5	15	L3
<i>Chimaphila umbellata ssp. cisatlantica</i>	pipsissewa	4	4	5	5	18	L2
<i>Oryzopsis asperifolia</i>	white-fruited or rough-leaved	2	4	4	5	15	L3
<i>Lonicera dioica</i>	wild or glaucous honeysuckle	2	4	4	4	14	L3
<i>Polygala paucifolia</i>	fringed polygala or gaywings	3	5	4	5	17	L2
<i>Viola rostrata</i>	long-spurred violet	3	4	4	3	14	L3
<i>Polygonatum pubescens</i>	downy Solomon's seal	2	4	5	5	16	L3
<i>Aquilegia canadensis</i>	wild columbine	2	4	3	5	14	L3
<i>Pyrola elliptica</i>	shinleaf	2	4	4	4	14	L3
<i>Cornus rugosa</i>	round-leaved dogwood	3	4	4	3	14	L3
<i>Streptopus roseus</i>	rose twisted-stalk	2	4	4	5	15	L3
<i>Trientalis borealis ssp. borealis</i>	star-flower	2	4	4	5	15	L3
<i>Lonicera canadensis</i>	fly honeysuckle	3	4	3	4	14	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Mitchella repens</i>	partridgeberry	2	4	4	5	15	L3
<i>Gaultheria procumbens</i>	wintergreen	3	5	4	5	17	L2
<i>Chimaphila umbellata ssp. cisatlantica</i>	pipsissewa	4	4	5	5	18	L2
<i>Chimaphila umbellata ssp. cisatlantica</i>	pipsissewa	4	4	5	5	18	L2
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Polygala paucifolia</i>	fringed polygala or gaywings	3	5	4	5	17	L2

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Gaultheria procumbens</i>	wintergreen	3	5	4	5	17	L2
<i>Cornus rugosa</i>	round-leaved dogwood	3	4	4	3	14	L3
<i>Streptopus roseus</i>	rose twisted-stalk	2	4	4	5	15	L3
<i>Monotropa uniflora</i>	Indian-pipe	2	4	5	5	16	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Polygonatum pubescens</i>	downy Solomon's seal	2	4	5	5	16	L3
<i>Mitchella repens</i>	partridgeberry	2	4	4	5	15	L3
<i>Oryzopsis asperifolia</i>	white-fruited or rough-leaved	2	4	4	5	15	L3
<i>Aquilegia canadensis</i>	wild columbine	2	4	3	5	14	L3
<i>Streptopus roseus</i>	rose twisted-stalk	2	4	4	5	15	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Monotropa uniflora</i>	Indian-pipe	2	4	5	5	16	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Allium tricoccum</i>	wild leek or ramps	2	3	4	4	13	L3
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Uvularia grandiflora</i>	large-flowered bellwort	2	4	5	5	16	L3
<i>Claytonia caroliniana</i>	broad-leaved spring beauty	3	4	5	4	16	L3
<i>Anemone acutioba</i>	sharp-lobed hepatica	2	4	4	5	15	L3
<i>Dirca palustris</i>	leatherwood	3	4	5	4	16	L3
<i>Uvularia grandiflora</i>	large-flowered bellwort	2	4	5	5	16	L3
<i>Claytonia caroliniana</i>	broad-leaved spring beauty	3	4	5	4	16	L3
<i>Viburnum acerifolium</i>	maple-leaved viburnum	2	3	4	5	14	L3
<i>Hamamelis virginiana</i>	witch-hazel	2	4	4	4	14	L3
<i>Cornus rugosa</i>	round-leaved dogwood	3	4	4	3	14	L3
<i>Monotropa uniflora</i>	Indian-pipe	2	4	5	5	16	L3
<i>Pyrola elliptica</i>	shinleaf	2	4	4	4	14	L3
<i>Polygonatum pubescens</i>	downy Solomon's seal	2	4	5	5	16	L3
<i>Polystichum acrostichoides</i>	Christmas fern	2	3	5	5	15	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Cornus rugosa</i>	round-leaved dogwood	3	4	4	3	14	L3
<i>Viburnum acerifolium</i>	maple-leaved viburnum	2	3	4	5	14	L3
<i>Polygonatum pubescens</i>	downy Solomon's seal	2	4	5	5	16	L3
<i>Polystichum acrostichoides</i>	Christmas fern	2	3	5	5	15	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Anemone acutiloba	sharp-lobed hepatica	2	4	4	5	15	L3
Pyrola elliptica	shinleaf	2	4	4	4	14	L3
Polygala paucifolia	fringed polygala or gaywings	3	5	4	5	17	L2
Pyrola elliptica	shinleaf	2	4	4	4	14	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Viola canadensis	Canada violet	3	4	4	4	15	L3
Polygala paucifolia	fringed polygala or gaywings	3	5	4	5	17	L2
Brachyletrum erectum	bearded shorthusk	4	5	4	4	17	L2
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Juglans cinerea	butternut	2	4	4	4	14	L3
Polystichum acrostichoides	Christmas fern	2	3	5	5	15	L3
Polygonatum pubescens	downy Solomon's seal	2	4	5	5	16	L3
Clintonia borealis	yellow clintonia or bluebead	2	5	4	5	16	L3
Monotropa uniflora	Indian-pipe	2	4	5	5	16	L3
Viola rostrata	long-spurred violet	3	4	4	3	14	L3
Allium tricoccum	wild leek or ramps	2	3	4	4	13	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Polypodium virginianum	rock polypody	4	4	5	5	18	L2
Desmodium glutinosum	pointed-leaved tick-trefoil	3	4	4	5	16	L3
Aquilegia canadensis	wild columbine	2	4	3	5	14	L3
Diphasiastrum digitatum	crowfoot club-moss	3	5	5	5	18	L2
Iris versicolor	blue flag	2	5	4	5	16	L3
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Lonicera dioica	wild or glaucous honeysuckle	2	4	4	4	14	L3
Potentilla palustris	marsh cinquefoil	3	5	4	5	17	L2
Medeola virginiana	Indian cucumber-root	3	5	4	5	17	L2
Monotropa uniflora	Indian-pipe	2	4	5	5	16	L3
Viburnum acerifolium	maple-leaved viburnum	2	3	4	5	14	L3
Trientalis borealis ssp. borealis	star-flower	2	4	4	5	15	L3
Mitchella repens	partridgeberry	2	4	4	5	15	L3
Pyrola elliptica	shinleaf	2	4	4	4	14	L3
Polygonatum pubescens	downy Solomon's seal	2	4	5	5	16	L3
Cornus rugosa	round-leaved dogwood	3	4	4	3	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Pinus resinosa</i>	red pine	4	5	5	5	19	L1
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Lonicera dioica</i>	wild or glaucous honeysuckle	2	4	4	4	14	L3
<i>Polygala paucifolia</i>	fringed polygala or gaywings	3	5	4	5	17	L2
<i>Aquilegia canadensis</i>	wild columbine	2	4	3	5	14	L3
<i>Gaultheria procumbens</i>	wintergreen	3	5	4	5	17	L2
<i>Lonicera hirsuta</i>	hairy honeysuckle	4	4	4	4	16	L3
<i>Galium circaezans</i>	white wild licorice	5	4	4	3	16	L3
<i>Hamamelis virginiana</i>	witch-hazel	2	4	4	4	14	L3
<i>Diphasiastrum digitatum</i>	crowfoot club-moss	3	5	5	5	18	L2
<i>Moneses uniflora</i>	one-flowered pyrola	4	5	5	5	19	L1
<i>Clintonia borealis</i>	yellow clintonia or bluebead	2	5	4	5	16	L3
<i>Pyrola elliptica</i>	shinleaf	2	4	4	4	14	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Juglans cinerea</i>	butternut	2	4	4	4	14	L3
<i>Polygala paucifolia</i>	fringed polygala or gaywings	3	5	4	5	17	L2
<i>Mitchella repens</i>	partridgeberry	2	4	4	5	15	L3
<i>Cornus rugosa</i>	round-leaved dogwood	3	4	4	3	14	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Streptopus roseus</i>	rose twisted-stalk	2	4	4	5	15	L3
<i>Oryzopsis asperifolia</i>	white-fruited or rough-leaved	2	4	4	5	15	L3
<i>Allium tricoccum</i>	wild leek or ramps	2	3	4	4	13	L3
<i>Clintonia borealis</i>	yellow clintonia or bluebead	2	5	4	5	16	L3
<i>Monotropa uniflora</i>	Indian-pipe	2	4	5	5	16	L3
<i>Streptopus roseus</i>	rose twisted-stalk	2	4	4	5	15	L3
<i>Schizachne purpurascens</i> ssp. <i>purpurascens</i>	purple or false melic grass	3	3	3	5	14	L3
<i>Osmorhiza claytonii</i>	woolly sweet cicely	3	4	4	4	15	L3
<i>Aquilegia canadensis</i>	wild columbine	2	4	3	5	14	L3
<i>Anemone acutiloba</i>	sharp-lobed hepatica	2	4	4	5	15	L3
<i>Huperzia lucidula</i>	shining club-moss	3	5	5	5	18	L2

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Polygonatum pubescens</i>	downy Solomon's seal	2	4	5	5	16	L3
<i>Lonicera canadensis</i>	fly honeysuckle	3	4	3	4	14	L3
<i>Streptopus roseus</i>	rose twisted-stalk	2	4	4	5	15	L3
<i>Osmorhiza claytonii</i>	woolly sweet cicely	3	4	4	4	15	L3
<i>Lycopodium dendroideum</i>	round-branched ground-pine	3	5	5	5	18	L2
<i>Mitchella repens</i>	partridgeberry	2	4	4	5	15	L3
<i>Viburnum acerifolium</i>	maple-leaved viburnum	2	3	4	5	14	L3
<i>Cystopteris tenuis</i>	Mackay's fragile fern	3	4	5	5	17	L2
<i>Pyrola elliptica</i>	shinleaf	2	4	4	4	14	L3
<i>Trientalis borealis</i> ssp. <i>borealis</i>	star-flower	2	4	4	5	15	L3
<i>Clintonia borealis</i>	yellow clintonia or bluebead	2	5	4	5	16	L3
<i>Oryzopsis asperifolia</i>	white-fruited or rough-leaved	2	4	4	5	15	L3
<i>Carex sparganioioides</i>	bur-reed sedge	2	2	5	2	11	L4
<i>Carex hirtifolia</i>	pubescent or hairy-leaved sedge	3	3	5	3	14	L3
<i>Abies balsamea</i>	balsam fir	2	3	4	5	14	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Allium tricoccum</i>	wild leek or ramps	2	3	4	4	13	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Spirodela polyrhiza</i>	greater duckweed	3	4	5	2	14	L3
<i>Wolffia columbiana</i>	columbia water-meal	3	4	5	2	14	L3
<i>Ceratophyllum demersum</i>	coontail	3	4	5	4	16	L3
<i>Carex laevivaginata</i>	smooth-sheathed sedge	2	4	4	4	14	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Desmodium glutinosum</i>	pointed-leaved tick-trefoil	3	4	4	5	16	L3
<i>Lonicera dioica</i>	wild or glaucous honeysuckle	2	4	4	4	14	L3
<i>Polygonatum pubescens</i>	downy Solomon's seal	2	4	5	5	16	L3
<i>Cornus rugosa</i>	round-leaved dogwood	3	4	4	3	14	L3
<i>Pyrola elliptica</i>	shinleaf	2	4	4	4	14	L3
<i>Gaultheria procumbens</i>	wintergreen	3	5	4	5	17	L2
<i>Aquilegia canadensis</i>	wild columbine	2	4	3	5	14	L3
<i>Hamamelis virginiana</i>	witch-hazel	2	4	4	4	14	L3
<i>Viburnum acerifolium</i>	maple-leaved viburnum	2	3	4	5	14	L3
<i>Vaccinium myrtilloides</i>	velvet-leaf blueberry	4	4	4	5	17	L2

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Gaultheria procumbens</i>	wintergreen	3	5	4	5	17	L2
<i>Polygala paucifolia</i>	fringed polygala or gaywings	3	5	4	5	17	L2
<i>Mitchella repens</i>	partridgeberry	2	4	4	5	15	L3
<i>Chimaphila umbellata</i> ssp. <i>cisatlantica</i>	pipsissewa	4	4	5	5	18	L2
<i>Desmodium glutinosum</i>	pointed-leaved tick-trefoil	3	4	4	5	16	L3
<i>Hamamelis virginiana</i>	witch-hazel	2	4	4	4	14	L3
<i>Pyrola elliptica</i>	shinleaf	2	4	4	4	14	L3
<i>Osmunda claytoniana</i>	interrupted fern	4	5	5	5	19	L1
<i>Galium lanceolatum</i>	wild licorice	4	5	4	3	16	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Mitchella repens</i>	partridgeberry	2	4	4	5	15	L3
<i>Polygala paucifolia</i>	fringed polygala or gaywings	3	5	4	5	17	L2
<i>Lonicera dioica</i>	wild or glaucous honeysuckle	2	4	4	4	14	L3
<i>Shepherdia canadensis</i>	buffalo-berry or soap-berry	4	4	5	4	17	L2
<i>Aquilegia canadensis</i>	wild columbine	2	4	3	5	14	L3
<i>Gaultheria procumbens</i>	wintergreen	3	5	4	5	17	L2
<i>Lonicera canadensis</i>	fly honeysuckle	3	4	3	4	14	L3
<i>Hamamelis virginiana</i>	witch-hazel	2	4	4	4	14	L3
<i>Viburnum acerifolium</i>	maple-leaved viburnum	2	3	4	5	14	L3
<i>Lonicera canadensis</i>	fly honeysuckle	3	4	3	4	14	L3
<i>Carex cephaloidea</i>	thin-leaved sedge	4	2	5	3	14	L3
<i>Glyceria septentrionalis</i>	eastern manna grass	3	3	5	4	15	L3
<i>Cicuta bulbifera</i>	bulblet-bearing water-hemlock	3	3	5	4	15	L3
<i>Wolffia columbiana</i>	columbia water-meal	3	4	5	2	14	L3
<i>Triadenum fraseri</i>	marsh St. Johnswort	3	5	4	5	17	L2
<i>Dulichium arundinaceum</i>	three-way sedge	3	4	5	5	17	L2
<i>Carex disperma</i>	two-seeded or soft-leaved sed	3	3	5	4	15	L3
<i>Salix petiolaris</i>	slender willow	3	3	5	3	14	L3
<i>Agrostis scabra</i>	ticklegass	4	3	4	4	15	L3
<i>Asclepias exaltata</i>	poke milkweed	4	5	4	4	17	L2
<i>Carex brunnescens</i> ssp. <i>brunnescens</i>	brownish sedge	3	3	4	4	14	L3
<i>Osmunda cinnamomea</i>	cinnamon fern	2	5	5	5	17	L2
<i>Spiraea alba</i>	meadowsweet or wild spiraea	3	4	4	3	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Lysimachia thyrsiflora</i>	tufted loosestrife	3	3	4	4	14	L3
<i>Ilex verticillata</i>	winterberry	3	4	4	5	16	L3
<i>Carex interior</i>	inland or prairie star sedge	3	2	5	4	14	L3
<i>Aronia melanocarpa</i>	black choke-berry	4	5	5	4	18	L2
<i>Calla palustris</i>	water arum	3	5	5	5	18	L2
<i>Maianthemum trifolium</i>	three-leaved false Solomon's	4	4	5	4	17	L2
<i>Kalmia polifolia</i>	bog laurel	5	5	5	4	19	L1
<i>Ledum groenlandicum</i>	Labrador-tea	4	5	5	4	18	L2
<i>Vaccinium oxycoccos</i>	small cranberry	5	5	5	4	19	L1
<i>Gaylussacia baccata</i>	black huckleberry	5	4	4	4	17	L2
<i>Nemopanthus mucronatus</i>	mountain holly	4	3	5	5	17	L2
<i>Menyanthes trifoliata</i>	bog buckbean	5	5	5	5	20	L1
<i>Viola macloskeyi</i> ssp. <i>pallens</i>	northern white violet	4	4	4	3	15	L3
<i>Larix laricina</i>	tamarack	3	4	4	4	15	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Equisetum sylvaticum</i>	woodland horsetail	3	3	5	4	15	L3
<i>Epilobium leptophyllum</i>	narrow-leaved willow-herb	3	5	4	4	16	L3
<i>Iris versicolor</i>	blue flag	2	5	4	5	16	L3
<i>Carex lupulina</i>	hop sedge	2	4	4	4	14	L3
<i>Viburnum cassinoides</i>	withe-rod or wild raisin	4	4	5	4	17	L2
<i>Sarracenia purpurea</i>	pitcher-plant	4	5	5	5	19	L1
<i>Chamaedaphne calyculata</i>	leatherleaf	3	5	5	4	17	L2
<i>Andromeda polifolia</i> ssp. <i>glaucophylla</i>	bog rosemary	5	5	5	4	19	L1
<i>Vaccinium myrtilloides</i>	velvet-leaf blueberry	4	4	4	5	17	L2
<i>Vaccinium myrtilloides</i>	velvet-leaf blueberry	4	4	4	5	17	L2
<i>Spiraea alba</i>	meadowsweet or wild spiraea	3	4	4	3	14	L3
<i>Ilex verticillata</i>	winterberry	3	4	4	5	16	L3
<i>Carex diandra</i>	lesser panicled sedge	4	3	5	4	16	L3
<i>Chamaedaphne calyculata</i>	leatherleaf	3	5	5	4	17	L2
<i>Dulichium arundinaceum</i>	three-way sedge	3	4	5	5	17	L2
<i>Carex interior</i>	inland or prairie star sedge	3	2	5	4	14	L3
<i>Sparganium emersum</i> ssp. <i>emersum</i>	green-fruited bur-reed	3	3	5	4	15	L3
<i>Triadenum fraseri</i>	marsh St. Johnswort	3	5	4	5	17	L2

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Lysimachia thyriflora	tufted loosestrife	3	3	4	4	14	L3
Salix petiolaris	slender willow	3	3	5	3	14	L3
Salix lucida	shining willow	2	4	5	3	14	L3
Aronia melanocarpa	black choke-berry	4	5	5	4	18	L2
Cicuta bulbifera	bulblet-bearing water-hemlock	3	3	5	4	15	L3
Iris versicolor	blue flag	2	5	4	5	16	L3
Calla palustris	water arum	3	5	5	5	18	L2
Potentilla palustris	marsh cinquefoil	3	5	4	5	17	L2
Spirodela polyrhiza	greater duckweed	3	4	5	2	14	L3
Polygonum amphibium	water smartweed	2	4	4	4	14	L3
Carex disperma	two-seeded or soft-leaved sed	3	3	5	4	15	L3
Wolffia columbiana	columbia water-meal	3	4	5	2	14	L3
Equisetum fluviatile	water horsetail	2	4	5	4	15	L3
Mimulus ringens	square-stemmed monkey-flower	5	2	3	4	14	L3
Scirpus cyperinus	woolly bulrush or wool-grass	2	3	4	5	14	L3
Shepherdia canadensis	buffalo-berry or soap-berry	4	4	5	4	17	L2
Iris versicolor	blue flag	2	5	4	5	16	L3
Carex tuckermanii	Tuckerman's sedge	3	4	4	4	15	L3
Scirpus cyperinus	woolly bulrush or wool-grass	2	3	4	5	14	L3
Salix lucida	shining willow	2	4	5	3	14	L3
Spiraea alba	meadowsweet or wild spiraea	3	4	4	3	14	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Monotropa uniflora	Indian-pipe	2	4	5	5	16	L3
Polygala paucifolia	fringed polygala or gaywings	3	5	4	5	17	L2
Polygonum amphibium	water smartweed	2	4	4	4	14	L3
Salix petiolaris	slender willow	3	3	5	3	14	L3
Carex lupulina	hop sedge	2	4	4	4	14	L3
Equisetum fluviatile	water horsetail	2	4	5	4	15	L3
Salix lucida	shining willow	2	4	5	3	14	L3
Scirpus cyperinus	woolly bulrush or wool-grass	2	3	4	5	14	L3
Polygonum amphibium	water smartweed	2	4	4	4	14	L3
Lysimachia thyriflora	tufted loosestrife	3	3	4	4	14	L3
Iris versicolor	blue flag	2	5	4	5	16	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Carex lupulina	hop sedge	2	4	4	4	14	L3
Salix petiolaris	slender willow	3	3	5	3	14	L3
Carex interior	inland or prairie star sedge	3	2	5	4	14	L3
Oryzopsis asperifolia	white-fruited or rough-leaved	2	4	4	5	15	L3
Polystichum acrostichooides	Christmas fern	2	3	5	5	15	L3
Abies balsamea	balsam fir	2	3	4	5	14	L3
Myosotis laxa	smaller forget-me-not	5	4	3	4	16	L3
Adiantum pedatum	northern maidenhair fern	2	3	5	5	15	L3
Lemna trisulca	star or ivy-leaved duckweed	3	4	5	3	15	L3
Wolffia borealis	northern or dotted water-meal	4	4	5	2	15	L3
Wolffia columbiana	columbia water-meal	3	4	5	2	14	L3
Myosotis laxa	smaller forget-me-not	5	4	3	4	16	L3
Polystichum acrostichooides	Christmas fern	2	3	5	5	15	L3
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Polystichum acrostichooides	Christmas fern	2	3	5	5	15	L3
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Ilex verticillata	winterberry	3	4	4	5	16	L3
Nemopanthus mucronatus	mountain holly	4	3	5	5	17	L2
Streptopus roseus	rose twisted-stalk	2	4	4	5	15	L3
Pinus resinosa	red pine	4	5	5	5	19	L1
Lemna trisulca	star or ivy-leaved duckweed	3	4	5	3	15	L3
Wolffia columbiana	columbia water-meal	3	4	5	2	14	L3
Salix petiolaris	slender willow	3	3	5	3	14	L3
Salix lucida	shining willow	2	4	5	3	14	L3
Polygonum amphibium	water smartweed	2	4	4	4	14	L3
Carex tuckermanii	Tuckerman's sedge	3	4	4	4	15	L3
Lemna trisulca	star or ivy-leaved duckweed	3	4	5	3	15	L3
Wolffia columbiana	columbia water-meal	3	4	5	2	14	L3
Scirpus cyperinus	woolly bulrush or wool-grass	2	3	4	5	14	L3
Ilex verticillata	winterberry	3	4	4	5	16	L3
Shepherdia canadensis	buffalo-berry or soap-berry	4	4	5	4	17	L2
Monotropa uniflora	Indian-pipe	2	4	5	5	16	L3
Polygonum amphibium	water smartweed	2	4	4	4	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Lemna trisulca	star or ivy-leaved duckweed	3	4	5	3	15	L3
Shepherdia canadensis	buffalo-berry or soap-berry	4	4	5	4	17	L2
Cornus rugosa	round-leaved dogwood	3	4	4	3	14	L3
Carex lupulina	hop sedge	2	4	4	4	14	L3
Equisetum fluviatile	water horsetail	2	4	5	4	15	L3
Potentilla palustris	marsh cinquefoil	3	5	4	5	17	L2
Iris versicolor	blue flag	2	5	4	5	16	L3
Shepherdia canadensis	buffalo-berry or soap-berry	4	4	5	4	17	L2
Trillium grandiflorum	white trillium	1	4	4	5	14	L3
Calla palustris	water arum	3	5	5	5	18	L2
Epilobium leptophyllum	narrow-leaved willow-herb	3	5	4	4	16	L3
Iris versicolor	blue flag	2	5	4	5	16	L3
Ilex verticillata	winterberry	3	4	4	5	16	L3
Streptopus roseus	rose twisted-stalk	2	4	4	5	15	L3
Pyrola elliptica	shinleaf	2	4	4	4	14	L3
Polystichum acrostichoides	Christmas fern	2	3	5	5	15	L3
Osmunda cinnamomea	cinnamon fern	2	5	5	5	17	L2
Lemna trisulca	star or ivy-leaved duckweed	3	4	5	3	15	L3
Equisetum fluviatile	water horsetail	2	4	5	4	15	L3
Spiraea alba	meadowsweet or wild spiraea	3	4	4	3	14	L3
Calla palustris	water arum	3	5	5	5	18	L2
Ilex verticillata	winterberry	3	4	4	5	16	L3
Calla palustris	water arum	3	5	5	5	18	L2
Salix petiolaris	slender willow	3	3	5	3	14	L3
Veronica scutellata	marsh speedwell	3	2	5	4	14	L3
Carex sparganioioides	bur-reed sedge	2	2	5	2	11	L4
Pyrola elliptica	shinleaf	2	4	4	4	14	L3
Polystichum acrostichoides	Christmas fern	2	3	5	5	15	L3
Trillium erectum	red trillium or stinking John	2	4	3	5	14	L3
Gymnocarpium dryopteris	oak fern	2	3	5	5	15	L3
Calla palustris	water arum	3	5	5	5	18	L2
Scirpus cyperinus	woolly bulrush or wool-grass	2	3	4	5	14	L3
Iris versicolor	blue flag	2	5	4	5	16	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Osmunda cinnamomea</i>	cinnamon fern	2	5	5	5	17	L2
<i>Dulichium arundinaceum</i>	three-way sedge	3	4	5	5	17	L2
<i>Cicuta bulbifera</i>	bulblet-bearing water-hemlock	3	3	5	4	15	L3
<i>Lysimachia thyrsiflora</i>	tufted loosestrife	3	3	4	4	14	L3
<i>Triadenum fraseri</i>	marsh St. Johnswort	3	5	4	5	17	L2
<i>Aronia melanocarpa</i>	black choke-berry	4	5	5	4	18	L2
<i>Carex trisperma</i> var. <i>trisperma</i>	three-seeded sedge	3	3	5	4	15	L3
<i>Ilex verticillata</i>	winterberry	3	4	4	5	16	L3
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Larix laricina</i>	tamarack	3	4	4	4	15	L3
<i>Chamaedaphne calyculata</i>	leatherleaf	3	5	5	4	17	L2
<i>Nemopanthus mucronatus</i>	mountain holly	4	3	5	5	17	L2
<i>Vaccinium myrtilloides</i>	velvet-leaf blueberry	4	4	4	5	17	L2
<i>Kalmia polifolia</i>	bog laurel	5	5	5	4	19	L1
<i>Ledum groenlandicum</i>	Labrador-tea	4	5	5	4	18	L2
<i>Decodon verticillatus</i>	swamp loosestrife	5	5	4	5	19	L1
<i>Spiraea alba</i>	meadowsweet or wild spiraea	3	4	4	3	14	L3
<i>Potentilla palustris</i>	marsh cinquefoil	3	5	4	5	17	L2
<i>Aquilegia canadensis</i>	wild columbine	2	4	3	5	14	L3
<i>Viola macloskeyi</i> ssp. <i>pallens</i>	northern white violet	4	4	4	3	15	L3
<i>Maianthemum trifolium</i>	three-leaved false Solomon's	4	4	5	4	17	L2
<i>Gaylussacia baccata</i>	black huckleberry	5	4	4	4	17	L2
<i>Trientalis borealis</i> ssp. <i>borealis</i>	star-flower	2	4	4	5	15	L3
<i>Gaultheria procumbens</i>	wintergreen	3	5	4	5	17	L2
<i>Carex lupulina</i>	hop sedge	2	4	4	4	14	L3
<i>Coptis trifolia</i>	goldthread	3	5	5	5	18	L2
<i>Veronica scutellata</i>	marsh speedwell	3	2	5	4	14	L3
<i>Dryopteris cristata</i>	crested wood fern	2	4	4	4	14	L3
<i>Salix petiolaris</i>	slender willow	3	3	5	3	14	L3
<i>Spiraea alba</i>	meadowsweet or wild spiraea	3	4	4	3	14	L3
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Pinus strobus</i>	white pine	1	4	3	4	12	L4
<i>Viola blanda</i>	sweet white violet	3	4	4	3	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Viola blanda</i>	sweet white violet	3	4	4	3	14	L3
<i>Pedicularis canadensis</i>	wood-betony or lousewort	5	5	5	5	20	L1
<i>Aronia melanocarpa</i>	black choke-berry	4	5	5	4	18	L2
<i>Poa saltuensis</i>	two-rayed poa or bushy pastur	4	3	5	3	15	L3
<i>Pedicularis canadensis</i>	wood-betony or lousewort	5	5	5	5	20	L1
<i>Melampyrum lineare</i>	cow-wheat	5	5	5	4	19	L1
<i>Carex trisperma</i> var. <i>trisperma</i>	three-seeded sedge	3	3	5	4	15	L3
<i>Scirpus cyperinus</i>	woolly bulrush or wool-grass	2	3	4	5	14	L3
<i>Carex trisperma</i> var. <i>trisperma</i>	three-seeded sedge	3	3	5	4	15	L3
<i>Pinus resinosa</i>	red pine	4	5	5	5	19	L1
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3
<i>Trientalis borealis</i> ssp. <i>borealis</i>	star-flower	2	4	4	5	15	L3
<i>Mitchella repens</i>	partridgeberry	2	4	4	5	15	L3
<i>Lonicera canadensis</i>	fly honeysuckle	3	4	3	4	14	L3
<i>Pyrola elliptica</i>	shinleaf	2	4	4	4	14	L3
<i>Desmodium glutinosum</i>	pointed-leaved tick-trefoil	3	4	4	5	16	L3
<i>Streptopus roseus</i>	rose twisted-stalk	2	4	4	5	15	L3
<i>Polygonum amphibium</i>	water smartweed	2	4	4	4	14	L3
<i>Salix petiolaris</i>	slender willow	3	3	5	3	14	L3
<i>Scirpus cyperinus</i>	woolly bulrush or wool-grass	2	3	4	5	14	L3
<i>Salix lucida</i>	shining willow	2	4	5	3	14	L3
<i>Poa saltuensis</i>	two-rayed poa or bushy pastur	4	3	5	3	15	L3
<i>Poa saltuensis</i>	two-rayed poa or bushy pastur	4	3	5	3	15	L3
<i>Eleocharis smillii</i>	Small's or creeping spike-rus	3	4	5	3	15	L3
<i>Glyceria borealis</i>	northern manna grass	3	4	5	5	17	L2
<i>Milium effusum</i>	wood millet	4	5	5	3	17	L2
<i>Epilobium angustifolium</i>	fire-weed	4	4	4	4	16	L3
<i>Glyceria septentrionalis</i>	eastern manna grass	3	3	5	4	15	L3
<i>Eriophorum virginicum</i>	tawny cotton-grass	5	4	5	5	19	L1
<i>Cinna latifolia</i>	nodding wood reed	3	3	5	3	14	L3
<i>Carex brunnescens</i> ssp. <i>brunnescens</i>	brownish sedge	3	3	4	4	14	L3
<i>Antennaria parlinii</i> ssp. <i>fallax</i>	plantain-leaved pussytoes	5	3	4	4	16	L3
<i>Aster urophyllus</i>	arrow-leaved aster	4	3	4	3	14	L3

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
Sparganium emersum ssp. emersum	green-fruited bur-reed	3	3	5	4	15	L3
Ribes triste	swamp red currant	3	4	4	5	16	L3
Carex lupulina	hop sedge	2	4	4	4	14	L3
Larix laricina	tamarack	3	4	4	4	15	L3
Viola macloskeyi ssp. pallens	northern white violet	4	4	4	3	15	L3
Pyrola elliptica	shinleaf	2	4	4	4	14	L3
Gaultheria procumbens	wintergreen	3	5	4	5	17	L2
Equisetum fluviatile	water horsetail	2	4	5	4	15	L3
Carex disperma	two-seeded or soft-leaved sed	3	3	5	4	15	L3
Carex leptalea ssp. leptalea	bristle-stalked sedge	3	3	5	4	15	L3
Carex lupulina	hop sedge	2	4	4	4	14	L3
Glyceria borealis	northern manna grass	3	4	5	5	17	L2
Carex comosa	bristly sedge	3	3	5	4	15	L3
Lysimachia thyrsiflora	tufted loosestrife	3	3	4	4	14	L3
Lysimachia thyrsiflora	tufted loosestrife	3	3	4	4	14	L3
Scirpus cyperinus	woolly bulrush or wool-grass	2	3	4	5	14	L3
Lysimachia thyrsiflora	tufted loosestrife	3	3	4	4	14	L3
Carex tuckermanii	Tuckerman's sedge	3	4	4	4	15	L3
Glyceria septentrionalis	eastern manna grass	3	3	5	4	15	L3
Carex crawfordii	Crawford's sedge	5	3	5	3	16	L3
Glyceria borealis	northern manna grass	3	4	5	5	17	L2
Glyceria borealis	northern manna grass	3	4	5	5	17	L2
Arisaema triphyllum	Jack-in-the-pulpit	1	3	3	4	11	L4
Cardamine diphylla	broad- or two-leaved toothwor	2	3	4	4	13	L4
Anemone quinquefolia var. quinquefolia	wood-anemone	3	4	4	5	16	L3
Juncus balticus	Baltic rush	4	2	5	2	13	L4
Monotropa uniflora	Indian-pipe	2	4	5	5	16	L3
Carex muhlenbergii var. muhlenbergii	Muhlenberg's sedge	4	4	4	4	16	L3
Cyperus lupulinus	slender umbrella-sedge or gal	5	3	5	4	17	L2
Carex tonsa var. rugosperma	red- or wrinkle-seeded oak se	4	4	4	4	16	L3
Osmorhiza claytonii	woolly sweet cicely	3	4	4	4	15	L3
Symphoricarpos albus var. albus	snowberry (low or native)	4	4	4	5	17	L2

Flora Species found in the Rouge River Watershed							
SCIENTIFIC NAME	COMMON_NAME	LO	PTn	HAB	SENS	TS	L RANK
<i>Circaea alpina</i>	smaller enchanter's nightshad	2	4	5	4	15	L3
<i>Pinus strobus</i>	white pine	1	4	3	4	12	L4
<i>Quercus rubra</i>	red oak	1	4	2	4	11	L4
<i>Maianthemum canadense</i>	Canada mayflower	2	4	1	5	12	L4
<i>Osmorhiza claytonii</i>	woolly sweet cicely	3	4	4	4	15	L3
<i>Acer spicatum</i>	mountain maple	2	3	4	4	13	L4
<i>Rubus pubescens</i>	dwarf raspberry	2	3	3	5	13	L4
<i>Pteridium aquilinum</i> var. <i>latiusculum</i>	eastern bracken	2	4	2	4	12	L4
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Anemone quinquefolia</i> var. <i>quinquefolia</i>	wood-anemone	3	4	4	5	16	L3
<i>Aquilegia canadensis</i>	wild columbine	2	4	3	5	14	L3
<i>Betula papyrifera</i>	paper or white birch	1	4	2	4	11	L4
<i>Geranium maculatum</i>	wild geranium or spotted cran	2	3	4	3	12	L4
<i>Podophyllum peltatum</i>	May-apple	2	3	3	3	11	L4
<i>Trillium grandiflorum</i>	white trillium	1	4	4	5	14	L3
<i>Dryopteris marginalis</i>	marginal wood fern	1	3	3	4	11	L4
<i>Mitella diphylla</i>	mitrewort	2	3	4	4	13	L4
<i>Tsuga canadensis</i>	eastern hemlock	0	4	3	5	12	L4
<i>Polystichum acrostichoides</i>	Christmas fern	2	3	5	5	15	L3
<i>Betula allegheniensis</i>	yellow or curly birch	1	4	3	5	13	L4
<i>Trillium erectum</i>	red trillium or stinking John	2	4	3	5	14	L3
<i>Acer spicatum</i>	mountain maple	2	3	4	4	13	L4
<i>Cystopteris bulbifera</i>	bulblet fern	1	4	4	4	13	L4
<i>Angelica atropurpurea</i>	angelica	4	3	4	3	14	L3
<i>Pinus resinosa</i>	red pine	4	5	5	5	19	L1
<i>Picea glauca</i>	white spruce	3	5	4	3	15	L3